CERTIFICATE OF APPROVAL OF SERVICE SUPPLIER

No. : HDOLS-0004-26

This is to certify that

SHIP GUARD INC.

Address : AIOI BLDG. 3-6-1, HIRANOMACHI, CHUO-KU, OSAKA 541-0046, JAPAN

is approved as a service supplier to provide the following service under Guidance for Approval of Service Suppliers and the relevant requirement of the society rule.

Scope of service

Maintenance, thorough examination, operational testing, overhaul and repair of Lifeboats, Rescue boats, Launching appliances, Release gear

This certificate is valid until **2029.01.16**

Issued at **Busan** on **2026.01.26**

See the appendix for details regarding manufacturer authorizations, etc

KOREAN REGISTER

General Manager of
Survey Team

TERMS AND CONDITIONS

A. The Responsibility and Duty of the Registered Company

(1) The operator who carries out the service shall possess the appropriate license issued by the Government or have equivalent qualifications.
(2) The registered company shall be responsible for ensuring the safety of the operator from any danger which can arise during operation.
(3) The registered company shall check the equipment to ensure the proper functioning of the equipment before operation.
(4) The registered company, if necessary, shall have the equipment calibrated by authorized organizations in order to maintain the required accuracy within the period prescribed in the standard, and have the contents recorded and maintained.
(5) The registered company shall keep a copy of the service report submitted to this Society and applicant for at least 5 years.
(6) The registered company shall notify this society immediately of any alterations of the condition at the time of the approval, including changes of staff and of any entries on this certificate.

B. Confidentiality

The detail information acquired during the job shall not be disclosed or released to third party without permission of the applicant or this Society.

C. Scope and Limitation

The extent of engagement is limited to the scope stated on this Certificate unless attached otherwise.

D. Renewal of the Approval

Renewal audit should be carried out within 3 months before the expiry date of Certificate. However, the validity of new Certificate will be started from the next day of expiry date of previous Certificate.

E. Cancellation of Approval

The approval may be cancelled in cases:
(1) Where the service provided is improperly carried out or the results are improperly reported.
(2) Where the Society's surveyor has found major deviations in the operating system of the firm.
(3) Where the supplier fails to inform of any alteration to the operation system to this Society.
(4) Where occasional audit, when deemed necessary by this Society, has not been carried out.
(5) Where wilful acts or omissions are ascertained.
(6) Where the approval fees are not paid.

APPENDIX I

No. : HDOLS-0004-26

The service supplier has been certified or licensed to service the particular makes and models of equipment listed in the appendix.

A. Manufacturer(s) of Lifeboats, Rescue boats, Launching appliances, Release gear / Type
* The service supplier has been certified or licensed to conduct maintenance, thorough examination, operational testing, overhaul and repair for the particular makes and models of equipment, as follow, in accordance with Res.MSC.402(96)

- Shigi Shipbuilding Co., Ltd. /
SZ series, FEL series, VOX series, GARS series, OPEN type, and release gear

- Mansei Inc. /
Types of products manufactured by MANSEI INC.
Davit:
Series of EBD- EM-, ABD-, AH-, AT and AV-
Series of EH-, ET-, EV-, M- and CM-
Series of D-FH., DE-FH., MFE-, and MFH-
Series of SR-, SRE-, R-, S-, RD- and EHR-
Winches:
Series of EBW-, ABW- and AW-
Series of EW-, MW- and CMW-
Series of 06. And FW-
Series of SW-, RMW-, MLW- and ERW-
Release hook:
Series of RH-
Types of Products manufactured by MIURA MACHINE CO., LTD.
Davits:
Series of SP, MVD, GRA and SAR
Winches:
Series of BH, BE and BA

- Qingdao Beihai Shipbuilding Heavy Industry Co., Ltd. /
Total enclosed:
BH-5, BH-5A, BH-5S, BH-5SA, BH-E500, BH-E585, BH-6, BH-6A, BH-6S, BH-E670, BH-7A, BH-7B, BH-8
Freefall:
BH-F6.0, BH-F7.0A, BH-F7.8, BH-F8.1, BH-F5.8, BH-F6.8, BH-F660, BH-F670, BH-F750, BH-F900/A
Rescue boat:
BH-R4, BH-R4S, BH-R4SA, BH-R5S, BH-HR6, BH-HR7
Gravity Pivot Davit:

Endorse

SAMPLE

APPENDIX I

No. : HDOLS-0004-26

BD-PV50, BD-PV60, BD-PV60S, BD-PV85
Freefall launching Davit:
BD-FF55, BD-FF55A, BD-FF55R, BD-FF80, BD-FF80A, BD-FF80R, BD-FF80B, BD-FF65, BD-FF66, BD-FF67, BD-FF85
Single arm Davit
BD-SA14, BD-14A, BD-14B, BD-SA21, BD-21A, BD-SA23, BD-SA30, BD-SA30A, BD-SA33, BD-SH23
Winch:
BW-H (L/R)31S, BW-H (L/R)50, BW-H (L/R)63, BW-H (L/R)75 ; BW-L (L/R) 75, BW-L (L/R)125, SC14, SC21, YSB series hydraulic winch
Gravity lifeboat Release Mechanism:
BG-3, BG-3L, BG-7, BH-HOOK3, BH-HOK5, FS5, FS7
Freefall lifeboat Release Mechanism:
BG-3.5F, BG-4F, BG-4.5F, BG-4.5FL, BG-5F, BG-6F
Reescue boat Release Mechanism:
BG-2R, 15KNXS, 25KNXS, 35KNXS

- Hyundai Lifeboats Co Ltd. (HLB Co., Ltd) /
Lifeboat &amp ; rescue boat:
Series of HD, HT, HDL, HLB, HDF, HDFL, HDFN, HDR, HDFR
Release Mechanism:
Series of THP, Talon, Talon II

- BADA Heavy Industries Co., Ltd. /
Davit :
Series of DRM, BDH, BDTD, BDHP, BDTW, BDRW, BDM, BFOD, HDFL, HDF, BDF, BDR, BDH, BDA, BDFA, BDL, BDR, BLR, BHI
Winch:
Series of DRM, DRBW, BAW, BDF, BHI, BLW, BMW, BRW, BWL, BWR, FHW, RLD
Release Mechanism:
Series of BDR, BHA, BHR

- Jiangsu Jiaoyan Marine equipment Co., Ltd. /
Gravity Type Lifeboat:
JY-QFP/N-5.0, JY-QFP/N-5.25, JY-QFP/N-5.6, JY-QFP/N-6.0A, JY-QFP/N-6.50, JY-QFP/N-7.0, JY-QFP/N-7.5, JY-QFP/N-7.50A, JY-QFP/N-8.00, JY-QFP/N-8.50, JY-QFP/N-8.50X, JY-QFP/N-9.35, JY-QFP/N-10.90A
Freefall Type Lifeboat:
JY-FN-4.9, JY-FF-4.9, JY-FN-5.8, JY-FF-5.8, JYM-FN-6.65, JYM-FF-6.65, JY-FN-6.8, JY-FF-6.8, JY-FN-7.5, JY-FF-7.5, JY-FN-8.5, JY-FF-8.5, JY-FN/FF-9.5
Rescue boat:

Endorse

KR Internal

APPENDIX I

No. : HDOLS-0004-26

GJ4.2, GJ4.25, GJ4.5, GJ5.0, GJ5.25, GJ6.0B-1, GJ6.10, GJ7.50, GJ8.0Q-2, GJ8.5Q-2
Totally Enclosed Lifeboat : JY-QFP/N-5.0/ JY-QFP/N-5.25/ JY-QFP/N-5.6/ JY-QFP/N-6.0A/ JY-QFP/N-6.50/ JY-QFP/N-7.0/ JY-QFP/N-7.5/ JY-QFP/N-7.50A/ JY-QFP/N-8.00/ JY-QFP/N-8.50/ JY-QFP/N-8.50X/ JY-QFP/N-9.35/ JY-QFP/N-10.90A
Hook:
JX and JXN Series
Gravity luffing arm type davit:
JYL52, JYL55, JYL65, JYL85, JYL105, JYL135
Launching appliance:
JYF55, JYF75, JYF75-B, JYF90
Platform Davit:
JYP65/JYP85/JYP105/JYP135
Single arm davit:
JYR21, JYR21S-A, JYRC21, JYR14, JYRH14, JYRH21, JYR26, JYR30, JYR23
Electric Boat Winch:
FW45, JYW42, JYW50, JYW70, JYW100, JYWP70, JYWP100, JYWP135, JYW35, JYRZ21

- Jiangyinshi Beihai LSA CO., LTD. /
Boat:
Series of SC, JYB
Hook:
Series of JYBHK
Davit:
Series of SAC, SA, FA, LB, LA, BHGH, PD, FRH, EHRD, SRH, BHGP. RB, HB, HDC, ESAD
Winch :
Series of D, DW, HW, JYBW, FFW

- Fassmer-Marland Ltd. /
Davit launched totally enclosed lifeboat:
DRAGON 26C, DRAGON 26T, DRAGON 32C, DRAGON 32T, DRAGON 38C, DRAGON 38T, GMR 6.5, GMR-T6.5, GMR 7.4, GMR-T7.4, HH57C, HH57T, HH65C, HH65T, HH70C, HH70T, CLR-C5.9, CLR-T5.9
Freefall lifeboat:
GAR 6.7, GAR-T6.7, GAR 7.4, GAR-T7.4, CFL-C49(E), CFL-T49(E), CFL-C66(E), CFL-T66(E), CFL-C72(E), CFL-T72(E), CFL-C77(E), CFL-T77(E), CFL-C83(E) ,CFL-T83(E)
Rigid rescue boats:
RR4.2 / RR4.2-M, RRH4.2, RR4.2 ID
Fast rescue boats:
FRR6.1 ID, FRR6.2 ID
On load release gears:
Duplex 2.5, Duplex 2.5E, Duplex 25E2, Duplex 5.0, Duplex 5.0E, Duplex 50E2, HH43

Endorse

Effective

APPENDIX I

No. : HDOLS-0004-26

Pivot davit:
FPD-D60, FPD-D68, FPD-DH68, SRH70
Freefall davit:
FFH49, FFH49D, FFH66, FFH66D, FFH72, FFH77, FFH83
Freefall ramp:
FLR49, FLR66, FLR72
Rescue boat crane:
FSAR 14/3.5HS, FSARR 14/3.5HS, FSAR 4.0/3.5HS FSAR 21/4.0HS, FSARR 21/4.0HS, FSARR 22/4.0HS, FMAH 22KN, FSAR 25
Winches for pivot davit:
DEW 15-24, DEW 15-35, DEW 15-44, D52L/D52R, DW34S/DW34Z, MW50/MW50C for FPD-D60
Winch for freefall davit:
FW35
Winch for rescue boat crane:
DEW 150, DEW 450, RZ25
* HAIHONG BOAT MAKING CO., LTD.(GUANGZHOU)
Lifeboats:
HH57C, HH57T, HH65C, HH65T, HH70C, HH70T
Onload Release Geares/Lifeboat release &amp ; Retrieval system: HH43

- CSSC Luzhou Zhenjiang Marine Auxiliary Machinery CO., LTD. /
Totally enclosed lifeboat:
YH5.0QFP, YH5.0FN, YH65QFP, YH6.5QFN, YH8.5QFP, YH8.5QFN, YH8.5QFP-A, YH8.5QFN-A, YH10.3QFP, YH10.3QFN, YH9.5QFP, YH9.5QFN, YH12.0QFP, YH12.0QFN, YH9.9BFP, YH12.5,BFP, ZZHG-BF-12.5
Free fall lifeboat:
YH5.9FP, YH5.9FN, YH6.7FP, YH6.7FN, YH7.5FP, YH7.5FN, YH8.5FP, YH8.5FN
Fast rescue boat:
YH6.0FRA, YH6.0FRB, YH6.5FRA, YH6.5FRB
Rescue boat:
YH4.5R, YH4.5DR, YH7.5
Hook:
HK25, HK25B, HK40, HK40C, HK65, SH70, SH85, Handle release hook 15KN, Automatic release hook 21KN/23/KN/25KN/35KN
Gravity davit:
LE-45-1, LE55-1, LE65-1, LE85-1, LE-100-1, LE138-1, LE-170-1, HE65, HE85, HE100, HE138, H170, RE50, RE60, RE80, RE100, SRH65, SRH85, SRH100, SRH120, SRH150, SRH170, SRH200, SRH230, GL65, GL85, GL110, GL138, GL165, TG65, TG85, TG110, TG150, TG170, TG200, TG230, HT80, HT100, HT150, HT210, LC400, RC60-EB

Endorse

APPENDIX I

No. : HDOLS-0004-26

Launching appliance davit:
FH55, FH70, FH75, FH85, FH100
Single arm davit and crane:
SAF14, SAFC21, SAFC25, SA32, HDCL2-6.5, HDCL3-6, HDCL3-10, LA25, LA35, DH30
Off-shore davit:
PL65, PL85, PL100, PL110, PL120, PL138, PL150, PL180, PL200, PL230
Fast rescue boat davit:
LFR30, LFR35, LFR55, LFRH30, LEFR50, LFRH60, DH30, SAWH30, SAWH45, SAWH60

- Oriental Inspection &amp ; Service Co., Ltd. /
Hinged Gravity Type Davit &amp ; Winch:
HGD Series, HGK Series, SHS Series, RTH Series, DHA Series, DMA Series
BWE Series, SWE Series, WL Series
Freefall Type Davit &amp ; Winch:
FD Series, WL Series
Rescue/ Liferaft Davit &amp ; winch:
RD Series, RDW Series

- Sekigahara Seisakusho Ltd. /
Type/Series : SH, SFB, SHS, STS, SSS, SFS, SFA, SFC, SFD, SJS, SJR

- NISHI-F CO., LTD. /
* Nishi-F Co., Ltd. (ex-Nishi Nippon F.R.P. Shipbuilding Co., Ltd.)
Totally Enclosed (ML-Series) :
EML-18, CML-19, CML-20, CML-21, CM-22, CML-23, CML-25, CML-27, DML-73
Partially Enclosed (ML?Series) :
PML-22, PML-35
Fire Protected (ML-Series) :
CML-19S, CML-20AS, CML-21S, CML-22A, CML-23S, CML-25AS, CML-27AS, DML-73S
Open (F-Series) :
NF-73A, NF-75, FF-65, FF-65S, FF-72, FF-72S, Rescue F-Series, F-43
* ex-Ishihara Dockyard Co., Ltd.
Totally Enclosed (G-Series) :
G-48ATR, G-54ATR, G-63ATR, G-65BTR, G-73DTR, G-80CTR, G-90BTR
Fire Protected (G-Series) :
G-54AFR, G-63AFR, G-65BFR, G-73DFR, G-80CFR
Open (G-Series) :
G-73C

- IKNOW MACHINERY CO., LTD. /

Endorse

APPENDIX I

No. : HDOLS-0004-26

Series of Davit : H, T, TC
Series of Winch : EB, TC, OAP

Reference

Endorse

APPENDIX I

No. : HDOLS-0004-26

Company :

Address :

Tel :

Fax :

E-mail :

Country :

City :

KR-Branch :

Reference