CERTIFICATE OF APPROVAL OF SERVICE SUPPLIER

No. : HDOLS-0006-25

This is to certify that

DOLPHIN MIDDLE EAST MARINE

Address : Workshop 06 Warehouse 325, Dubai Maritime City, Dubai, UAE (TRN: 10025 7924900003)

is approved as a service supplier to provide the following service under Guidance for Approval of Service Suppliers and the relevant requirement of the society rule.

Scope of service

The servicing Inflatable lifejackets
Maintenance, thorough examination, operational testing, overhaul and repair of Lifeboats, Rescue boats, Launching appliances, Release gear

This certificate is valid until **2028.01.06**

Issued at **Busan** on **2025.01.06**

See the appendix for details regarding manufacturer authorizations, etc

KOREAN REGISTER

General Manager of
Survey Team

TERMS AND CONDITIONS

A. The Responsibility and Duty of the Registered Company

(1) The operator who carries out the service shall possess the appropriate license issued by the Government or have equivalent qualifications.
(2) The registered company shall be responsible for ensuring the safety of the operator from any danger which can arise during operation.
(3) The registered company shall check the equipment to ensure the proper functioning of the equipment before operation.
(4) The registered company, if necessary, shall have the equipment calibrated by authorized organizations in order to maintain the required accuracy within the period prescribed in the standard, and have the contents recorded and maintained.
(5) The registered company shall keep a copy of the service report submitted to this Society and applicant for at least 5 years.
(6) The registered company shall notify this society immediately of any alterations of the condition at the time of the approval, including changes of staff and of any entries on this certificate.

B. Confidentiality

The detail information acquired during the job shall not be disclosed or released to third party without permission of the applicant or this Society.

C. Scope and Limitation

The extent of engagement is limited to the scope stated on this Certificate unless attached otherwise.

D. Renewal of the Approval

Renewal audit should be carried out within 3 months before the expiry date of Certificate. However, the validity of new Certificate will be started from the next day of expiry date of previous Certificate.

E. Cancellation of Approval

The approval may be cancelled in cases:
(1) Where the service provided is improperly carried out or the results are improperly reported.
(2) Where the Society's surveyor has found major deviations in the operating system of the firm.
(3) Where the supplier fails to inform of any alteration to the operation system to this Society.
(4) Where occasional audit, when deemed necessary by this Society, has not been carried out.
(5) Where wilful acts or omissions are ascertained.
(6) Where the approval fees are not paid.

APPENDIX I

No. : HDOLS-0006-25

This service supplier has been certified or licensed to service the particular makes and models of equipment listed in the appendix.

A. Manufacturer(s) of Lifeboat, Rescue boat, Launching appliances, Release gear / Type
* The service supplier has been certified or licensed to conduct maintenance, thorough examination, operational testing, overhaul and repair for the particular makes and models of equipment, as follow, in accordance with Res.MSC.402(96)

- SANGSANGIN INDUSTRY CO., LTD. /
(Ex. DONGNAM MARINE CRANE Co., Ltd. and Dongnam Enterprise) /
HINGED GRAVITY TYPE : DHG-57-FM, HGW-40-FM, DHG-70-FM, HGW-52-FM, HGW-50-FM, DHG-73-FM, HGW-61-DM, DHGD-11-E2E7
SINGLE ARM TYPE : DLRD, DRLD, DSAD, PV combined, DCHH, DPR, DNR, DRBD, DSAC, BSNKJ
FREEFALL TYPE : FF, HDF
DSAM11-E2M0

- DONGWOO MACHINERY and ENGINEERING CO., LTD. /
HINGED GRAVITY BOAT DAVIT AND FREEFALL DAVIT RESCUE DAVIT AND LIFE RAFT DAVIT, DWS Series, LRDS Series, RBDS Series

- HLB (ex. Hyundai Lifeboats) CO., LTD /
Lifeboat and Rescue Boat : Series of HD,HT,HDL,HLB ; HDF,HDFL.HDFN ; HDR and HDFR
Release Mechanism : Series of THP, Talon and Talon II

- BADA HI (ex,D.R.M) Co., Ltd. /
Davit : Series of DRM, BDH, BDTD, BDHP, BDTW, BDRW, BDM, BFOD, HDFL, HDF, BDF, BDFD, BDR, BDH, BDA, BDFA, BDL, BDR, BLR and BHI
Winch : Series of DRM, DRBW, BAW, BDF, BHI, BLR, BLW, BMW, BRW, BWL, BWR and FHW
Release Mechani: Series of BDR, BHA and BHR

- IKNOW MACHINERY CO., LTD.(ex. TSUJI HEAVY INDUSTRIES CO., LTD.) /
DAVIT : Series of H, T, TC
H83-1A2, H83-1A2-A, H83-1A2-B, H83-1A2-C, H83-1A2-D, H83-2A2, H83-S, H96-1, H96-1S, H96-2, H96-2A, H96-3, H96-4, H96-5, H96-6, H96-7, H96-8, H96-9, H96-RS-1, RP-4, H21-1H, TC-H21-05600,
T83-1A2, T-2S, T-2C, NH-1C, T-1C
WINCH : Series of EB, TC, OAP
EB-5.0L2-3.7, EB-5.0R2-18/9, EB-5.0R2-22/1, EB-5.0L2-3.7-440, EB-5.0R2-22/11-440, EB-5.0R2-18/9, EB-5.0R2-22/11, EB-8.0L2-3.7, EB-8.0L2-5.5, EB-8.0R2-30/15, EB-8.0R2-22/2, EB-9.0R2-22/1, EB-4.0L2-3.7, EB-4.0R2-22/11, EB-4.0R2-18/9, EB-5.0R2B-22/22, EB-5.0L2-3.7-240, EB-5.0R2-18/

Endorse

APPENDIX I

No. : HDOLS-0006-25

9-240, EB-3.0L2-3.7-200, EB-3.0R2-18/9-200, EB-5.0L2-3.7-240, EB-5.0R2-18/9-240N, EB-5.0L2A-3.7, EB-5.0R2A-22/11, EB-4.0L2-3.7, EB-4.0R2-22/11, EB-3.0R2-7.5/3.75, EB-1.0R-5.5, EB-4.0L2H-3.7, EB-4.0R2H-18/9, EB-4.0R2H-22/11, EB-4.0L2H-3.7, EB-4.0R2H-18/9, EB-4.0R2H-22/11, TC-EB-4.0L2H-3.7, TC-EB-4.0R2H-22/11, EB-8.0R2-33/15, EB-8.0L2-7.5, OE-D-KGA, OE-T-KGA, OAP-1H, OAP-1T

- Jiangsu Jiaoyan Marine Equipment Co.,Ltd. (Jiangyin Xinjiang F.R.P Co., Ltd.) /
Free Fall lifeboat :
JY-FN-4.9, JY-FF-4.9, JY-FN-5.8, JY-FF-5.8, JYM-FN-6.65, JYM-FF-6.65, JY-FN-6.8, JY-FF-6.8
JY-FN-7.5, JY-FF-7.5, JY-FN-8.5, JY-FF-8.5, JYFN/FF-9.5
Rescue boat :
GJ4.2, GJ4.25, GJ4.5, GJ5.0, GJ5.25, GJ6.0B-1, GJ6.10, GJ7.50, GJ8.0Q-2, GJ8.5Q-2
Totally enclosed lifeboat :
JY-QFP/N-5.0, JY-QFP/N-5.25, JY-QFP/N-5.6, JY-QFP/N-6.0A, JY-QFP/N-6.50, JY-QFP/N-7.0, JY-QFP/N-7.5, JY-QFP/N-7.50A, JY-QFP/N-8.00, JY-QFP/N-8.50, JY-QFP/N-8.50X, JY-QFP/N-9.35, JY-QFP/N-10.90A
Hook : JX and JXN Series
Gravity luffing arm type davit : JYL52, JYL55, JYL65, JYL68, JYL85, JYL105, JYL135
Launching appliance : JYF55, JYF75, JYF75-B, JYF90
Platform Davit : JYP65, JYP85, JYP105, JYP135
Single arm davit : JYR21, JYR21S-A, JYRC21, JYR14, JYRH14, JYRH21, JYR23
Electric Boat Winch : FW45, JYW42, JYW50, JYW70, JYW100, JYWP70, JYWP100, JYWP135, JYW35, JYRZ21

- ORIENTAL INSPECTION &amp ; SERVICE CO., LTD. (ORIENTAL PRECISION &amp ; ENGINEERING CO., LTD.)/
* HINGED GRAVITY TYPE DAVIT and WINCH
DAVIT : HGD SERIES, HGK SERIES SHS SERIES, RTD SERIES, DHA SERIES, DMA SERIES
WINCH : BWE SERIES, SWE SERIES, WL SERIES
* FREE FALL DAVIT and WINCH
FD SERIES, WL SERIES
* RESCUE / LIFERAFT DAVIT and WINCH
RD SERIES, RDW SERIES

- QINGDAO BEIHAI BOATBUILDING HEAVY CO., LTD. /
Lifeboat total enclosed : BH-5, 5A, 5S, 5SA, E500, E585, 6, 6A, 6S, E670, 7, 8, 9, 10series
Lifeboat freefall : BH-F6.0, F7.0A, F7.8, F8.1, F5.8, F6.8, F660, F670, F750, F900/A
Rescue : BH-R4, R4S, R4SA, R5S, R6, R7
Davit gravity pivot : BD-PV50, PV60, PV60S, PV85, PV125
Davit freefall launching : BD-FF55, 55A, 55R, FF80, 80A, 80R, 80B, FF65/66/67, FF85

Endorse

APPENDIX I

No. : HDOLS-0006-25

Davit Platform : BD-PL75, 125, 160,18
Davit single arm : BD-SA14, 14A, 14B, SA21, 21A, SA23, SA30, 30A, SA33, SH23
Winch : BW-H(L/R)31S, 50, 63, 75 ; L(L/R)75, 125 ; SC14 ; 21
Release mechanism Gravity lifeboat : BG-3, 3L, BG-7 ; BH-HOOK3, HOOK5, FS5, FS7
Release mechanism Freefall lifeboat : BG-3F, 3.5F, 4F, 4.5F, 4.5FL, 5F, 6F
Release mechanism Rescue boat : BG-2R, Wuxi XS15KN, 21KN, 23KN, 25KN, 35KN hook

- SHIGI SHIP BUILDING CO., LTD. /
Lifeboat type : SZ-49BR, SZ49-TR, SZ53BR, SZ-53TR, SZ-65BR, SZ-65BRS, SZ-65TRS, SZ-73BRS, SZ-73TRS, SZ-80BRS, SZ-80TRS, GARS series, FEL59, FEL66, FEL66T
Rescue Boat type : OPEN type, VOX46, VOX46S, VOX46M
On-load and Off-load release gear type : SZK-5, SZK-5M, SZ-45RT, SZ-45R/T, SZ-45RS, SRS-37, SRS-37M, SZK-25, SZK-25M, SZK-30, SZK-30M, SZK-36M, SZK-7, SZK-8, SZK-45, FF60, WP39.

- FASSMER SERVICE GMBH &amp ; CO.KG /
Davit launched totally enclosed Lifeboats: GMR 5.9, TGMR 5.9 Tanker Version, GMR 6.5, TGMR 6.5 Tanker Version, GMR 7.4, TGMR 7.4 Tanker Version, GMR 8.3, TGMR 8.3 Tanker Version, CLR-C 5.9, CLR-T 5.9 Tanker Version, CLR-C 6.4, CLR-T 6.4 Tanker Version, CLR-C 6.8, V Tanker Version, CLR-C 7.2, CLR-T 7.2 Tanker Version, CLR-C 7.6, CLR-T 7.6 Tanker Version, CLR-C 8.1, CLR-T 8.1 Tanker Version, CLR-C 8.5, CLR-T 8.5 Tanker Version, CL-C 8.9 , CL-T 8.9 Tanker Version, CL-C 9.4, CL-T 9.4 Tanker Version, CL-C 9.8, CL-T 9.8 Tanker Version, CL-C 10.2, CL-T 10.2 Tanker Version, CL-C 10.7, CL-T 10.7 Tanker Version, CL-C 11.1, CL-T 11.1 Tanker Version, CL-C 11.5, CL-T 11.5 Tanker Version, CL-C 11.9, CL-T 11.9 Tanker Version, CL-C 12.4, CL-T 12.4 Tanker Version, CL-C 12.8, CL-T 12.8 Tanker Version, CL-C 13.2, CL-T 13.2 Tanker Version, CLX (R) 8.5, CLX 10.0, CLX 11.7, CLX 12.8
Freefall lifeboat: CFL 4.9, CFL-T 4.9 Tanker Version, GAR 6.0, GAR-T 6.0 Tanker Version, GAR 6.8, GAR-T 6.8 Tanker Version, GAR 6.7, GAR-T 6.7 Tanker Version, GAR 7.4, GAR-T 7.4 Tanker Version, GAR 8.1, GAR-T 8.1 Tanker Version, GAR 7.7, GAR-T 7.7 Tanker Version, GAR 8.5, GAR-T 8.5 Tanker Version, CFL-C 66, CFL-T 66 Tanker Version, CFL-C 72, CFL-T 72 Tanker Version, CFL-C 77, CFL-T 77 Tanker Version, CFL-C 83, CFL-T 83 Tanker Version
Partially enclosed Lifeboats: CL-P 5.9, CL-P 6.4, CL-P 6.8, CL-P 7.2, CL-P 7.6, CL-P 8.1, CL-P 8.5, CL-P 8.9, CL-P 9.4, CL-P 9.8, CL-P 10.2, CL-P 10.7, CL-P 11.1, CL-P 11.5, CL-P 11.9, CL-P 12.4, CL-P 12.8, CL-P 13.2, SEL 8.15, SEL 8.8, SEL 9.6, SEL 10.5, SEL 10.55, SEL 11.80, SEL 12.5, SEL-R 8.15, SEL 15.75, SEL-T 10.75
Partially enclosed Lifeboats ? Tender boats: TL Limo 1100, SEL-T 11.0, SEL-T 11.7, SEL-T 12.3, SEL-T 14.0, SEL-T 14.7, SEL-T 15.75, PLL 1099, PLT-EVO 170
Partially enclosed Lifeboats, Tender boats and rescue boat: SEL-RT 7.7, SEL-RT 7.5, SEL-RT 8.5
Partially enclosed Life- and Crew Tender boats: SEL 11.0 (-T)
Partially enclosed Life-/Rescue-/Work-/Tender -Boats: SEL-R 7.4, SEL-R 8.5
High-performance tender NAVY RHIB: SFB 10.1
Rigid Rescue Boat: RR 4.2, RR 4.2-M, RR 4.5 ID

Endorse

APPENDIX I

No. : HDOLS-0006-25

Rescue boat: RIR 625 ID
Fast Rigid Rescue Boat: FR (I) R 6.1, FR (I) R 6.1 ID, FRR 6.2 ID, FRR 6.5 ID-SF, FRR 6.6 ID, FRR 7.0 ID-SF, FRIR 6.25, FRR 7.0
Freefall Lifeboat Release Mechanism: FFRU 6.6
Offload rescue boat hook: FOH 27, FOH 30, FOH 70
Onload release gear: Duplex 25E2, Duplex 2.5E, 2.5T, Duplex 50E2, Duplex 5.0E, 5.0T, Duplex 60E2, Duplex 6.6E, Duplex 10E, 10T, Duplex 140E2, Duplex 14E, 14T, Duplex 17E, 17T, Duplex 180E2, Duplex 230E2, Duplex 23E, 23T
Fassmer Hydraulic davit: FHD 80, FHD 100, FHD 120, FHD 130, FHD 150, FHD 170, FHD 172, FHD 280, FHD 450
Hinged Davit: FHDY 100
Pivot davit: FPD 55, FPD 60, FPD 100, FPD 80, FPD 120, FPD 150, FPD 170, FFD D60
Freefall davit: FFH 45, FFH 65, FFH 49, FFH 50, FFH 60, FFH 66, FFH 70, FFH 72, FFH 75, FFH 77, FFH 80, FFH 83, FFH 85, FFH 90
Freefall Ramp: FLR 49, FLR 66, FLR 8005, FLR 8006, FLR 8007
Multi Pivot Davit: FMPD 100, FMPD 130, FMPD 150, FMPD 160
Outrigger davit: FOD 100, FOD 120, FOD 130, FOD 150, FOD 170, FOD 190, FOD 40R, FOD 50, FOD 55, FOD 80, FOD LBC 300, FOD SAR 40, FOD-R 22, FOD-R 23, FOD-R 25, FOD-R 40, FOD TC 450
Rescue boat davit: FOSV 71, FSAH 22
Rescue boat crane: FSAH 28, FSAH 32, FSAR12/3.5, FSAR 14/2.9, FSAR 14/3.5, FSAR 21/4.0, FSAR 21/4.5, FSAR 22/4.5, FSAR 28, FSAR 40
Rescue boat/Liferaft Crane: FSARR 14/3.5, FSARR 21/3.8, FSARR 21/4.0, FSARR 21/4.3, FSARR 22/4.0
FRC crane: PRHE 30
Fassmer Winch: DEW 40, DEW 85, DEW 2000
Fassmer Winch/ rescue boat crane: DEW 8, FWD 40 RB, DEW 150
Fassmer Freefall Winch: FFWH

- GLOBAL DAVIT GMBH /
Launching and recovery appliances for single point suspended life-saving crafts ; Type code: X1X2X3.x4.x5.x6
X1 = F/L/R, X2 = g/h/m, X3 = p/s/t, x4-x6 are the options in case of a multi purpose system and can be: L/R/S
Launching and recovery appliances for double point suspended life-saving crafts ; Type code: X1xx2XX3.x4
X1 = G, xx2 = sp/lp, XX3 = FP/FL/MP/TT, x4 = h
Winches for launching and recovery of life saving appliances ; Type code: X1NN1X2
X1 = W, NN1 = output torque in kNm, X2 = HC/L/R/M/E
Release gears for liferaft and/or rescue boat handling: HRN.12, HRN.28, HRL.26

- FASSMER-MARLAND Int ' l LTD (ex. Hai Hong Boat Making Co., Ltd. (Guangzhou)) /

Endorse

APPENDIX I

No. : HDOLS-0006-25

Lifeboat - Davit Launched totally enclosed lifeboat: (Hai Hong Type) HH57C, HH57T Tanker Version, HH65C, HH65T Tanker Version, HH70C, HH70T Tanker Version, DRAGON 26C, DRAGON 26T Tanker Version, DRAGON 32C, DRAGON 32T Tanker Version, DRAGON 38C, DRAGON 38T Tanker Version, GMR 6.5, GMR-T6.5 Tanker Version, GMR 7.4, GMR-T7.4 Tanker Version, CLR-C5.9, CLR-T5.9 Tanker Version
Lifeboat - Freefall lifeboat: GAR 6.7, GAR-T6.7 Tanker Version, GAR 7.4, GAR-T7.4 Tanker Version, CFL-C49(E), CFL-T49(E) Tanker Version, CFL-C66(E), CFL-T66(E) Tanker Version, CFL-C72(E), CFL-T72(E) Tanker Version, CFL-C77(E), CFL-T77(E) Tanker Version, CFL-C83(E), CFL-T83(E) Tanker Version
Rigid Rescue Boat: RR4.2 / RR4.2-M, RRH4.2M, RR4.2 ID
Fast Rigid Rescue Boat: FRR6.1 ID, FRR6.2 ID
Onload Release Gear: Duplex 2.5, Duplex 2.5E, Duplex 25E2, Duplex 5.0, Duplex 5.0E, Duplex 50E2 (Hai Hong Type): Onload release gear HH43
Pivot davit: FPD-D60, FPD-D68, FPD-DH68, SRH70
Freefall davit: FFH49, FFH49D, FFH66, FFH66D, FFH72, FFH77, FFH83
Freefall Ramp: FLR49, FLR66, FLR72
Rescue boat crane: FSAR 14/3.5HS, FSARR 14/3.5HS, FSAR 4.0/3.5HS, FSAR 21/4.0HS, FSARR 21/4.0HS, FSARR 22/4.0HS, FMAH 22KN, FSAR 25
Winches - pivot davit: DEW 15-24, DEW 15-35, DEW 15-44, D52L/D52R, DW34S/DW34Z, MW50/MW50C for davit FPD-D60
Winches - Freefall davit: FW35
Winches - Rescue boat crane: DEW 150, DEW 450, RZ25

- JIANGYINSHI BEIHAI LSA CO., LTD. /
BOAT : SERIES OF SC, JYB
HOOK : SERIES OF JYBHK
DAVIT : SERIES OF SAC, SA, FA, LB, LA, BHGH, PD, FRH, EHRD, SRH, BHGP, RB, HB, HDC, ESAD
WINCH : SERIES OF D, DW, HW, JYBW, FFW

- HATECKE SERVICE GMBH /
(Fast) Rescue Boat : RB AB, RB AB Duplex, RB AB FH, RB IB, RB/FRB AB FH
Launching appliances : FFA, FFA LP, FFB, Gsp.FLH, Gsp.O, GspFP, W07, W10, W26
Lifeboats : GFF, GFF-T, GSAR, GSL, GSL-T
Release Gear : Duplex2.6, Duplex3.0, Duplex3.5, Duplex4.3/4.6, Duplex6.0, GFF-R-10, GFF-R-11, GFF-R-8, RAFTI 2.5, Simplex 2.0 Off-Load, Simplex2.0 to, Simplex 2.0i, Simplex3.0, Simplex 4.3 , Simplex 6.0

- CSSC LUZHOU ZHENJIANG MARINE AUXILIARY MACHINERY CO., LTD. /
Gravity Davit: LE55-1/LE65-1/LE85-1/LE100-1/LE138-1/LE170-1/HE65/HE85/HE100/HE138/H170/RE50/RE60/RE80/RE100/SRH65/SRH85/SRH100/SRH120/SRH150/SRH170/SRH200/SRH230/GL65/

Endorse

APPENDIX I

No. : HDOLS-0006-25

GL85/GL110/GL138/GL165/TG65/TG85/TG110/TG150/TG170/TG200/TG230/HT80/HT100HT150/
HT210/LC400
Launching Appliance Davit: FH55/FH70/FH75/FH85/FH100
Single Arm Davit &amp ; Crane: SAF14/SAF21/SAFC21/SAFC25/SA21/SA32/HDCL2-6.5/HDCL3-6/
HDCL3-10/LA25/LA35
Offshore Davit: PL65/PL85/PL100/PL110/PL120/PL138/PL150/PL180/PL200/PL230
Fast Rescue Boat Davit: LFR30/LFR35/LFR55/LFRH30/LEFR50/LFRH60/DH30/SAWH30/SAWH45/
SAWH60
Totally Enclosed Lifeboat: YH5.0QFP/YH5.0QFN/YH6.5QFP/YH6.5QFN/YH8.5QFP/YH8.5QFN/
YH8.5QFP-A/YH8.5QFN-A/YH10.3QFP/YH10.3QFN/YH9.5QFP/YH9.5QFN/YH12.0QFP/YH12.0QFN/
YH9.9BFP/
YH12.5FP/ZZHG-BF-12.5
Freefall Lifeboat: YH5.9FP/YH5.9FN/YH6.7FP/YH6.7FN/YH7.5FP/YH7.5FN/YH8.5FPYH8.5FN
Fast Rescue boat: YH6.0FRA/YH6.0FRB/YH6.5FRA/YH6.5FRB
Rescue boat: YH4.5R/YH4.5DR/YH7.5
Hook: HK25/HK25B/HK40/HK40C/HK65/SH55/SH70/SH85

- WUXI XINGSHENG GEAR CASE FACTORY /
Type of Release Hook : 15KN(XS15), 21KN(XS21), 23KN(XS23), 25KN(XS25), 35KN(XS35)

- GEPA - FIBERGLASS INSUDTRY and TRADE CO., INC. /
FREEFALL LIFEBOAT : G-FFF1 and G-FFF1-FP, G-FFF2 and G-FFF2-FP, G-FFF3 and G-FFF3-FP
TOTALLY ENCLOSED LIFEBOATS : G-F6K and G-F6K-FP, G-F4K and G-F4K-FP, G-F3K and G-F3K-FP
PARTIALLY ENCLOSED LIFEBOAT : G-F6YK, G-F4YK, G-F3YK and G-F3YK-T
OPEN TYPE LIFEBOAT : G-F5, G-F2, G-F1, G-F6, G-F4, G-F3
SERVICE and UTILITY BOATS :G-GSB3, G-GSB4, G-GSB2, G-GSB1, G-F5-UB, G-F2-UB, G-F1-UB,
G-F6-UB, G-F4-UB, G-F3-UB
RESCUE BOATS and HOOK RELEASE DEVICES : G-RB1, G-RB1-DE, G-RB3, G-FRB1-O, G-FRB2-O,
G-K1, G-K2

- D-I DAVIT INTERNATIONAL-HISCHE GMBH /
* Level of competance : B1
Crane for freefall boat : C-F series
Crane for boat handling : C-S series
Free-fall davit only : D-F series (freefall only)
Free-fall davit : D-TF series, D-FH/FG series
Roller track davit : D-RT series (roller track davit only)
Fixed offshore davit : D-FO series
Normal pivot davit : D-NP series excl. D-NP,MP and D-NP.SP series
Boat davit : D-BC series, D-BR series

Endorse

APPENDIX I

No. : HDOLS-0006-25

Rescue boat davit : D-CL series, D-CR series, D-NPS.SP series, D-SR series
Raft handling davit : D-RC series, D-RB series
Rescue boat hook : RH series, OLH series
Liferaft hook : OLRH series
Sezamor / Liferaft hook : HS series
Palfinger / Liferaft/Rescue boat hook : ARH and CAR series
T-ISS / Liferaft/Rescue boat hook : PX series

- MANSEI INC.(EX. MANSEI INDUSTRY CO.,LTD.) and
MIURA MACHINE CO.,LTD.(EX. MIURA VIDER CO.,LTD.) /
Types of products manufactured byu MANSEI INC.
DAVIT: Series of EBD-, EM-, ABD-, AH-, AT-, AV-, EH-, ET-, EV-, M-, CM- ;
Series of D-FH., DE-FH., MFE-, MFH-, SR-, SRE-, R-, S-, RD-, and EHR-.
WINCH: Series of EBW-, ABW-, AW-, EW-, MW-, CMW- ;
Series of 06., FW-, SW-, RMW-, MLW-, and ERW-.
RELEASE HOOK: Series of RH-
Types of products manufactured byu MIURA MACHINE CO.,LTD.
Davits : Series of SP,MVD,GRA and SAR
Winches : Series of BH,BE and BA

- T-ISS B.V.
T-ISS PX01, PX-02 and PX-03

- CRALOG
“The technicians below have been confirmed to be trained by CRALOG ACADEMY. so, it is possible to perform servicing as CRALOG ' s subcontractors with an employment order issued by CRALOG. but,Owners, managers and service suppliers shall confirm with their flag administrations if any additional or special requirement apply."

(Certified personnel)
Name : ARUN BABU KOPPANALIL BAHULEYAN
ID no. : 420

Endorse

APPENDIX I

No. : HDOLS-0006-25

Company :

Address :

Tel :

Fax :

E-mail :

Country :

City :

KR-Branch :

Reference