CERTIFICATE OF APPROVAL OF SERVICE SUPPLIER

No. : HDOLS-0008-24

This is to certify that

GXS MARINE SERVICE CO.,LTD.

Address : No. 2 Tool Factory Road, Herun Village, Liuheng Town, Putuo District, Zhoushan City,Zhejiang Province, P.R.China.

is approved as a service supplier to provide the following service under Guidance for Approval of Service Suppliers and the relevant requirement of the society rule.

Scope of service

The servicing Inflatable lifejackets
Maintenance, thorough examination, operational testing, overhaul and repair of Lifeboats, Rescue boats, Launching appliances, Release gear

This certificate is valid until **2027.02.06**

Issued at **Busan** on **2024.11.18**

See the appendix for details regarding manufacturer authorizations, etc

KOREAN REGISTER

General Manager of
Survey Team

TERMS AND CONDITIONS

A. The Responsibility and Duty of the Registered Company

(1) The operator who carries out the service shall possess the appropriate license issued by the Government or have equivalent qualifications.
(2) The registered company shall be responsible for ensuring the safety of the operator from any danger which can arise during operation.
(3) The registered company shall check the equipment to ensure the proper functioning of the equipment before operation.
(4) The registered company, if necessary, shall have the equipment calibrated by authorized organizations in order to maintain the required accuracy within the period prescribed in the standard, and have the contents recorded and maintained.
(5) The registered company shall keep a copy of the service report submitted to this Society and applicant for at least 5 years.
(6) The registered company shall notify this society immediately of any alterations of the condition at the time of the approval, including changes of staff and of any entries on this certificate.

B. Confidentiality

The detail information acquired during the job shall not be disclosed or released to third party without permission of the applicant or this Society.

C. Scope and Limitation

The extent of engagement is limited to the scope stated on this Certificate unless attached otherwise.

D. Renewal of the Approval

Renewal audit should be carried out within 3 months before the expiry date of Certificate. However, the validity of new Certificate will be started from the next day of expiry date of previous Certificate.

E. Cancellation of Approval

The approval may be cancelled in cases:
(1) Where the service provided is improperly carried out or the results are improperly reported.
(2) Where the Society's surveyor has found major deviations in the operating system of the firm.
(3) Where the supplier fails to inform of any alteration to the operation system to this Society.
(4) Where occasional audit, when deemed necessary by this Society, has not been carried out.
(5) Where wilful acts or omissions are ascertained.
(6) Where the approval fees are not paid.

APPENDIX I

No. : HDOLS-0008-24

This service supplier has been certified or licensed to service the particular makes and models of equipment listed in the appendix.

A. Manufacturer(s) of Inflatable Lifejackets

- SHANGHAI FANGZHAN FIRE TECHNOLOGY CO.,LTD
- JIANGSU HAITUO TECHNOLOGY CO.,LTD

B. Manufacturer(s) of Lifeboats, Rescue boats, Launching appliances, Release gear / Type
* The service supplier has been certified or licensed to perform maintenance, thorough examination, operational testing, overhaul and repair for the particular makes and models of equipment in accordance with Res.MSC 402(96).

- WUXI HAIDELONG MAIRNE EQUIPMENT CO.,LTD /

Free-fall Lifeboat Launching Appliance
launching appliance for free fall lifeboats: HDL70FA MED/1.23
winch for survival craft and rescue boats: HDL70FA (winch) MED/1.41
Launching appliances for free-fall lifeboats: HDLZ0720 MED/1.23
Winches for survival craft and rescue boats: (b) free-fall lifeboats: HDLZ0720 (winch) MED/1.41b
Rescue Boats/liferafts Launching Appliances
Launching appliances using falls (davit): HDL415 (davit)
Liferaft launching appliances (davit): MED/1.21&amp ; 1.24
Winches for survival craft and rescue boats(winch): HDL415 (winch) MED/1.41
Launching appliances using falls(davits): SA23 (davit)
Liferaft launching appliances(davit): MED/1.21&amp ; 1.24
Winches for survival craft and rescue boats liferafts &amp ; rescue boats: SA23(winch) MED/1.41(c),(d)
Launching appliances for rescue boat &amp ; liferaft: HDLD21 MED/1.24
Winches for survival craft and rescue boats life rafts: HDLW21
Winches for survival craft and rescue boats rescue boats: MED/1.41

- WUXI HAI HONG BOAT MAKING CO.,LTD /

Totally enclosed life / rescue boat series
HH70C / HH70T(QFP7.0/QFN7.0)
HH85CS/HH85TS(QFP8.5/QFN8.5)
HH65CS / HH65TS(QFP6.5/QFN6.5)
HH75CS / HH75TS(QFP7.5/QFN7.5)
HH80CS / HH80TS(QFP8.0/QFN8.0)
HH65C / HH65T(QFP(H)6.5/QFN(H)6.5)

Endorse

APPENDIX I

No. : HDOLS-0008-24

HH50C / HH50T,HH53C / HH53T(QFP(H)5.3) ,
HH75C(QFP(H)7.5), HH85C / HH85T, HH57C / HH57T
Freefall Lifeboat Series
HH59FC / HH59FF, HH76FC / HH76FF
Rescue Boat Series
GJ4.5B / GJ4.5B1
High Speed Rescue Boat Series:
GJ618A/ GJ618B
Release Gear Series
HH76 / HH43 / HH30 / HH20

- SHEYANG SAIFUTE MARINE AUXILIARY MACHINERY PLANT JIANGSU /

Gravity luffing arm davit: 14KN/25KN/50KN/60KN/90KN/100KN/120KN
(Gravity sliding track davit): 15KN/40KN
(Cross deck gravity sliding track davit): 30KN/110KN
(Platform davit): 48KN/110KN
(Free fall lifeboat launching appliance): 55KN/70KN
(Single arm rescue davit.) 10KN/14KN/SFTSA10DS
(Single arm rescue boat / raft launching appliances): 21KN/25KN/30KN/40KN
(lift-raft launching appliance): 15KN/21KN/25KN/35KN
(Single arm rescue boat / raft launching appliances &amp ; Provisions crane): 21 KN
(Hydraulic slewing boat-raft davit): SFT-14KN/FCD3T * 10M/25KN * 10M
(rescue boat davit): SFT-AFR25/AR32
Ele.rescue boat winch 25KN/40KN/D50Z/63KN/E100R/D100Z
Ele.lifeboat winch: 14KN/25KN/40KN/D50S/63KN/E70L/D100S/E100L

- SHEYANG VICTOR MARINE AUXILIARIES CO.,LTD /

Electric lifeboat/ rescue boat winch:
WLT/DZA14,WLT/DSA25,WLT/DZA25,WLT/DS.Z36,WLT/DSA40,WLT/DZA40,WLT/DS.Z48,WLT/DS/ZA50,WLT/DS.Z55,WLT/DZA70(P),WLT/DS.Z70,WLT/DSZ90,WLT/DS/ZA100,WLT/DS/ZA110(p)
Gravity Luffing Arm Type Davit:
WLT/LA25,WLT/AS33,WLT/LA40,WLT/LZA50,WLT/LA50,WLT/LA56,WLT/R60,WLT/LA60,WLT/LA70,WLT/LA90,WLT/LA100,WLT/AS110,WLT/LA120
A Type Davit: WLT/LR36
Platform Type Davit: WLT/PL5,WLT/PL90,WLT/PL110
Freefall Launching Appliance: WLT/FH55,WLT/FH70
Manual crane: WLT/SQ21-2
Single Arm boat/raft &amp ; provision davit: WLT/SA21/15

Endorse

APPENDIX I

No. : HDOLS-0008-24

Hydraulic Gravity Luffing Arm Type Davit: WLT/SA25
Boat/raft davit &amp ; luffing crane: WLT/SA21,WLT/ESC23-6m
Multifunctional hydraulic telescopic slewing crane: WLT/YESC3t
Hydraulic crane and boat/raft landing device: SWLTA21-3t-6m

- WUXI XINGSHENG GEAR CASE FACTORY /

Release hook: (XS15)15KN, (XS21)21KN, (XS25)25KN, (XS35)35KN

- WUXI HONGSHENG MARINE F.R.P CO.,LTD /

Rigid Fast Rescue Boat: HSJ-6.5-II,HS61KR-A,HS61KR-B,HSG-8.5-A, HSG-7.5R
Rigid Rescue Boat: HSJ-5.5 ,GJ4.5,GJ5.5
Totally Enclosed Lifeboat/Rescue Boat: HS57C,HS57F,HS85C,HS85F,HS65F,HS65C
Release Mechanism: HK45,HK40,WHK65,HK40 (A) , HK60

- WUXI WENJIAO G.F.R.P FACTORY CO.,LTD /

Totally enclosed life/rescue boat: WJB50F,WJB50C,WJ57F,WJ57C,WJ58F,WJ58C,WJ75F,WJ75C
Free Fall lifeboat: WJ59FF,WJ59FC,WJ67FF,WJ67FC
Rescue boat: WJ40R,WJ45KR,WJ45D3,WJ45D,WJJZ45,WJ55D,WJ60RA,WJ60RB
Life boat:open type,WJ45D,BJ55,BJ60,BJ65,BJ70,BJ75,BJ80,BJ85
Release gear: WJHK40,WJ30HK,WJHK55,WJ63HKC,WJ67HK,WJ40

- JIANGYIN WOLONG F.R.P BOAT CO.,LTD /

Totally Enclosed Lifeboat: JY50C/F,JY50CA/FA,JY57C/F,JY60C/E/F,JY65C/F,JY70C/F,JY80C/F,JY80CA/FA,JY85C/F,JY85CA/FA,JY85CB/FB,JY93C/F,JY102/F,JY117C/F
Free Fall Lifeboat: JY49CF /FF,JY59CF/FF,JY67CF/FF,JY85CF/FF, JY109CF/FF
Rescue Boat: JY40KR , JY42KR , JY45DR , JY45KR , JY50R , JY54KR , JY60KR ,JY65KR , JY75KR , JY85KR
Partially Enclosed Lifeboat: JY70P,JY80P,JY85P
Open Type Lifeboat: JY45KR,JY55K,JY65K,JY70K,JY75K,JY80K,JY85K
Gravity Luffing Arm Type Davit: JY-LE65 , JY-LE85 , JY-LE100 ,JY-LE150
Launching Appliance of Free-fall Lifeboat: JY-FH55,JY - FH70 ,JY-FH90,JY-FH155
Platform Davit: JY-PL70 , JY-PL110 ,JY-PL150,JY-PL185,JY-PL215
Single Arm Boat / Raft Davit: JY-SAF21,JY-SAF23,JY-SA23S,JY-SA37S, JY-SR33S,JY-SAF33, JY-HSR23 / 16 ,JY-HSR33/23,JY-FCR2066,JY-FCR2305
Rescue Boat davit: JY-PLR21,JY-LFR27,JY-LRHE30,JY-LRHE70,JY-LFR35,JY-SAP14, JY-SAP30
gravity overhead rolling type davit: JY-HE70,JY-HE95,JY-HE120,JY-HE155

Endorse

APPENDIX I

No. : HDOLS-0008-24

Telescopic Boom Type Davit: JY-TBD 120 , JY-TBD 215,JY-TBD35
Hydraulic Luffing Arm Type Davit: JY-GYE70,JY-GYE120,JY-GYE185
Connecting Rod Type Davit: JY-GL70,JY-GL95,JY-GL120,JY-GL185
Winch:
JY-SAP14,JY-D23Z,JY-D23/16Z,JY-SAFC23,JY-D33/
23Z,JY-SAF33,JY-LRHE30,JY-PLR21,JY-LFR27,JY-LRHE70,JY-D50S/Z,JY-D70S/Z,JY-D85S/
Z,JY-D110S/Z,JY-DW125S,JY-DP110S/Z,JY-DP150/Z,JY-DP185,JY-DP215
Release Mechanism of Lifeboat / Rescue Boat:
HK40,HK40A,HK50B,HK50A,FHK70,HK70,HK115,LB60MR,LB80MR,LB120MR,FHK80,FHK90,LB35MR
S,LB70MRS

- WUXI HUAHAI MARINE EQUIPMENT CO.,LTD /

Gravity Luffing Arm Davit: HML60,HML85
Free-fall Lifeboat Launching Appliance: HMD55F,HMD70F
Rescue Boats / life rafts Launching Appliances: 21kN manual,21kN Electrical,25kN Electrical,21kN
Electrical hydraulic,25kN Electrical hydraulic,32kN Electrical hydraulic
Electrical Boat Winch: HMW21,HMW25,HMW50,HMW75,HMW100,HMW110,HMW140,HMW185
Rescue Boats Launching Appliance: HMD14A,HMD30A,HMD30A2

- WUXI DONGWU MARINE EQUIPMENT CO.,LTD /

Gravity Luffing Arm Davit: 18kN,25kN,40kN,50kN,60kN,60KN,85kN,110kN,T2.5,Sk50
Gravity Sliding Track Davit: 25kN,30kN
Free-fall Lifeboat Launching Appliance: F55,F70,NPT100F
Rescue Boats / life rafts Launching Appliances: 21kN manual,21kN Electrical,21kN Electrical
hydraulic,25kN Electrical hydraulic,35kN Electrical hydraulic
Electrical Boat Winch: DZY/Z21,DS * ZY25,DZ * ZY25,DS * ZY40,DZ * ZY40,D50S/Z,DS * ZY63,DZ *
ZY63,D63S/Z,80kN
Rescue Boats Launching Appliances: A30,H35

Endorse

APPENDIX I

No. : HDOLS-0008-24

Company :

Address :

Tel :

Fax :

E-mail :

Country :

City :

KR-Branch :

Reference