CERTIFICATE OF APPROVAL OF SERVICE SUPPLIER

No. : HDOLS-0016-25

This is to certify that

BNS Co.

Address : Dongsan Bldg. 2F, 87 Daeri-ro, Beomseo-eup, Ulju-gun, Ulsan, 44921 Korea

is approved as a service supplier to provide the following service under Guidance for Approval of Service Suppliers and the relevant requirement of the society rule.

Scope of service

Maintenance, thorough examination, operational testing, overhaul and repair of Lifeboats, Rescue boats, Launching appliances, Release gear

This certificate is valid until **2028.02.17**

Issued at **Busan** on **2025.02.07**

See the appendix for details regarding manufacturer authorizations, etc

KOREAN REGISTER

General Manager of
Survey Team

TERMS AND CONDITIONS

A. The Responsibility and Duty of the Registered Company

(1) The operator who carries out the service shall possess the appropriate license issued by the Government or have equivalent qualifications.
(2) The registered company shall be responsible for ensuring the safety of the operator from any danger which can arise during operation.
(3) The registered company shall check the equipment to ensure the proper functioning of the equipment before operation.
(4) The registered company, if necessary, shall have the equipment calibrated by authorized organizations in order to maintain the required accuracy within the period prescribed in the standard, and have the contents recorded and maintained.
(5) The registered company shall keep a copy of the service report submitted to this Society and applicant for at least 5 years.
(6) The registered company shall notify this society immediately of any alterations of the condition at the time of the approval, including changes of staff and of any entries on this certificate.

B. Confidentiality

The detail information acquired during the job shall not be disclosed or released to third party without permission of the applicant or this Society.

C. Scope and Limitation

The extent of engagement is limited to the scope stated on this Certificate unless attached otherwise.

D. Renewal of the Approval

Renewal audit should be carried out within 3 months before the expiry date of Certificate. However, the validity of new Certificate will be started from the next day of expiry date of previous Certificate.

E. Cancellation of Approval

The approval may be cancelled in cases:
(1) Where the service provided is improperly carried out or the results are improperly reported.
(2) Where the Society's surveyor has found major deviations in the operating system of the firm.
(3) Where the supplier fails to inform of any alteration to the operation system to this Society.
(4) Where occasional audit, when deemed necessary by this Society, has not been carried out.
(5) Where wilful acts or omissions are ascertained.
(6) Where the approval fees are not paid.

APPENDIX I

No. : HDOLS-0016-25

This service supplier has been certified or licensed to service the particular makes and models of equipment listed in the appendix.

A. Manufacturer(s) of Lifeboats, Rescue boats, Launching appliances, Release gear / Type
* The service supplier has been certified or licensed to perform maintenance, thorough examination, operational testing, overhaul and repair for the particular makes and models of equipment in accordance with Res.MSC 402(96).

- FASSMER SERVICE GMBH AND CO. KG /
Davit launched totally enclosed lifeboat :
GMR 5.9/6.5/7.4/8.3, TGMR 5.9/6.5/7.4/8.3, CLR-C 5.9/6.4/6.8/7.2/7.6/8.1/8.5,
CLR-T 5.9/6.4/6.8/7.2/7.6/8.1/8.5,
CL-C 8.9/9.4/9.8/10.2/10.7/11.1/11.5/11.9/12.4/12.8/13.2,
CL-T 8.9/9.4/9.8/10.2/10.7/11.1/11.5/11.9/12.4/12.8/13.2,
CLX 8.5/10.0/11.7/12.8
Freefall Lifeboat :
CFL 4.9/-T4.9, GAR6.0/-T6.0/6.8/-T6.8/6.7/-T6.7/7.4/-T7.4/8.1/-T8.1/7.7/-T7.7/8.5/-T8.5, CFL-C66/72/77/83, CFL-T66/72/77/83
Partially enclosed Lifeboats :
CL-P 5.9/6.4/6.8/7.2/7.6/8.1/8.5/8.9/9.4/9.8/10.2/10.7/11.1/11.5/11.9/12.4/12.8/13.2, SEL8.15/8.8/9.6/10.5/10.55/11.80/12.5/15.75, SEL-R 8.15, SEL-T 10.75
Partially enclosed Lifeboats - Tenderboat :
TL Limo 1100, SEL-T 11.0/11.7/12.3/14.0/14.7/15.75, PLL 1099, PLT-EVO 170
Partially enclosed lifeboats, Tenderboat and rescue boat : SEL-RT 7.7/7.5/8.5
Partially enclosed Life-and Crew Tenderboat : SEL 11.0 (-T)
Partially enclosed Life-/Rescue-/Work-/Tenderboat : SEL-R 7.4/8.5
High-performance tender : SFB 10.1
Rigid Rescue boat : RR 4.2/4.2-M/4.5ID
Rescue boat : RIR 625ID
Fast Rigid Rescue boat :
FR (I)R6.1/6.1ID, FRR 6.2 ID/6.5ID-SF/6.6ID/7.0ID-SF/7.0, FRIR 6.25
Freefall Lifeboat Release Mechanism : FFRU 6.6
Offload rescue boat hook : FOH 27/30/70
On load release gear :
Duplex 25E2/2.5E/50E2/5.0E/60E2/6.6E/10E/140E2/14E/17E/180E2/230E2/23E
Fassmer Hydraulic Davit : FHD 80/100/120/130/150/170/172/280/450
Hinged Davit : FHDY 100
Freefall Davit : FFH 45/65
Pivot davit : FPD 55/60/100/80/120/150/170/FFD D60
Freefall Davit : FFH 49/50/60/66/70/72/75/77/80/83/85/90

Endorse

APPENDIX I

No. : HDOLS-0016-25

Freefall ramp : FLR49/66/8005/8006/8007
Multi Pivot Davit : FMPD 100/130/150/160
Outrigger davit :
FOD 100/120/130/150/170/190/40R/50/55/80/LBC 300/SAR40/-R22/-R23/-R25/-R40/TC450
Rescue Boat Davit : FOSV 71, FSAH 22
Rescue Boat Crane: FSAH 28/32, FSAR12/14/21/22/28/40, FSARR 14/3.5, FSARR 21/3.8, FSARR21/4.0, FSARR21/4.3, FSARR22/4.0
FRC crane : PRHE 30
Fassmer Winch : DEW 40/85/2000
Fassmer Winch/rescue boat crane : DEW 8, FWD 40RB, DEW150
Fassmer Freefall Winch : FFWH

- d-i (davit international-hische GmbH, Hische GmbH, davit international GmbH, davit internationl BV) /
Crane for freefall boat : C-F series
Crane for boat handling : C-S series
Free-fall davit only : D-F series (freefall only)
Free-fall davit : D-TF series, D-FH/FG series
Roller track davit : D-RT series (roller track davit only)
Fixed offshore davit : D-FO series
Normal pivot davit : D-NP series excl. D-NP,MP and D-NP.SP series
Boat davit : D-BC series, D-BR series
Rescue boat davit : D-CL series, D-CR series, D-NPS.SP series, D-SR series
Raft handling davit : D-RC series, D-RB series
Rescue boat hook : RH series, OLH series
Liferaft hook : OLRH series
Sezamor / Liferaft hook : HS series
Palfinger / Liferaft/Rescue boat hook : ARH and CAR series
T-ISS / Liferaft/Rescue boat hook : PX series

- HATECKE SERVICE GMBH /
(Fast) Rescue Boat : RB AB, RB AB Duplex, RB AB FH, RB IB, RB/FRB AB FH
Launching appliances : FFA, FFA LP, FFB, Gsp.FLH, Gsp.O, GspFP, W07, W10, W26
Lifeboats : GFF, GFF-T, GSAR, GSL, GSL-T
Release Gear : Duplex2.6, Duplex3.0, Duplex3.5, Duplex4.3/4.6, Duplex6.0, GFF-R-10, GFF-R-11, GFF-R-8, RAFTI 2.5, Simplex 2.0 Off-Load, Simplex2.0 to, Simplex 2.0i, Simplex3.0, Simplex 4.3, Simplex 6.0

- GLOBAL DAVIT GMBH /
Launching and recovery appliances for single point suspended life-saving crafts ; Type code: X1X2X3.x4.x5.x6

Endorse

APPENDIX I

No. : HDOLS-0016-25

X1 = F/L/R, X2 = g/h/m, X3 = p/s/t, x4-x6 are the options in case of a multi purpose system and can be: L/R/S
Launching and recovery appliances for double point suspended life-saving crafts ; Type code: X1xx2XX3.x4
X1 = G, xx2 = sp/lp, XX3 = FP/FL/MP/TT, x4 = h
Winches for launching and recovery of life saving appliances ; Type code: X1NN1X2
X1 = W, NN1 = output torque in kNm, X2 = HC/L/R/M/E
Release gears for liferaft and/or rescue boat handling: HRN.12, HRN.28, HRL.26

- HLB(ex. Hyundai Lifeboats) Co., Ltd. /
Lifeboat and Rescue Boat : Series of HD, HT, HDL, HLB, HDF, HDFL, HDFN:HDR &amp ; HDFR
Release Mechanism : Series of THP, Talon and Talon II

- BADA Heavy Industries(ex. D.R.M)Co., Ltd. /
Davit: Series of DRM, DRBD, BDH, BDTD, BDHP, BDTW, BDRW, BDM, BFOD
Series of FF, HDFL, HDF, BDF, BDFD, BDR, BDH, BDA, BDFA, BDL, BDR, BLR&amp ; BHI
Winch: Series of DRM, DRBW, HLDF, BAW, BDF, BDFD, HDFL, HDF, BHI, BLR, BLW, BMW, BRW, BWL, BWR, FHW
Release Mechanism: Series of BDR, BHA &amp ; BHR

- SANGSANGIN INDUSTY CO., LTD.
(Ex. DONGNAM MARINE CRANE Co., Ltd. and Dongnam Enterprise) /
HINGED GRAVITY TYPE (DHG-57-FM, HGW-40-FM, DHG-70-FM, HGW-52-FM, HGW-50-FM, DHG-73-FM, HGW-61-DM, DHGD-11-E2E7)
SINGLE ARM TYPE (DLRD, DRLD, DSAD, PV combined, DCHH, DPR, DNR, DRBD, DSAC,BSNKJ)
FREEFALL TYPE (FF, HDF)
DSAM 11-E2M0

- BOATBUILDING BRANCH QINGDAO BEIHAI SHIPBUILDING HEAVY INDUSTRY CO., LTD. /
Lifeboat total enclosed : BH-5, 5A, 5S, 5SA, E500, E585, 6, 6A, 6S, E670, 7A, 7B, 8
Lifeboat freefall : BH-F6.0, F7.0A, F7.8, F8.1, F5.8, F6.8, F660, F670, F750, F900/A
Rescue : BH-R4, R4S, R4SA, R5S
Davit gravity pivot : BD-PV50, PV60, PV60S, PV85, PV125
Davit freefall launching : BD-FF55, 55A, 55R, FF80, 80A, 80R, 80B, FF65/66/67/85
Davit single arm : BD-SA14, 14A, 14B, SA21, 21A, SA23, SA30, 30A, SA33, SH23
Winch : BW-H(L/R)31S, 50, 63, 75 ; L(L/R)75, 125 ; SC14 ; 21 ; 30 ; YSB series hydraulic winch
Release mechanism Gravity lifeboat : BG-3, 3R, 3L, BG-7 ; BH-HOOK3, HOOK5, FS5, FS7
Release mechanism Freefall lifeboat : BG-3F,3.5F,4F,4.5F,4.5FL,5F,6F
Release mechanism Rescue boat : BG-2R, 15KNXS, 25KNXS, 35KNXS

Endorse

APPENDIX I

No. : HDOLS-0016-25

- ORIENTAL INSPECTION AND SERVICE CO., LTD (ORIENTAL PRECISION &amp ; ENGINEERING CO., LTD.) /
* Hinged Gravity Type Davit and Winch
Davit : HGD SERIES, HGK SERIES, SHS SERIES, RTD SERIES, DHA SERIES, DMA SERIES
Winch : BWE SERIES, SWE SERIES, WL SERIES
* Freefall Davit and Winch : FD SERIES, WL SERIES
* Rescue Boat/Liferaft Davit and Winch : RD SERIES, RDW SERIES

- FASSMER-MARLAND LTD.(ex.Hai Hong Boat Making Co., Ltd(Guangzhou)) /
Davit launched totally enclosed lifeboat :
DRAGON 26C/26T/32C/32T/38C/38T, GMR 6.5/-T6.5/7.4/-T7.4, HH57C/57T/65C/65T/70C/70T(Hai hong type), CLR-C5.9/T5.9
Freefall lifeboat :
GAR 6.7/-T6.7/7.4/-T7.4, CFL-C49(E)/T49(E)/C66(E)/T66(E)/C72(E)/T72(E)/C77(E)/T77(E)/C83(E)/T83(E)
Rigid rescue boat : RR4.2/4.2-M, RRH4.2, RR4.2 ID
Fast rigid rescue boat : FRR6.1ID/6.2ID
On load release gear : Duplex 2.5/2.5E/25E2/5.0/5.0E/50E2, HH43(Hai hong type)
Pivot davit : FPD-D52/60/ D68/ DH68 ; SRH70
Freefall davit : FFH49/49D/66/66D/72/77/83
Freefall ramp : FLR49/66/72
Rescue boat crane : FSAR 14/3.5HS/4.0/3.5HS/21/4.0HS/25, FSARR 14/3.5HS/21/4.0HS/22/4.0HS, FMAH 22KN, FSAR25
Winch for pivot davit : DEW 15-24/15-35/15-44, D52L/R, DW34S/Z, MW50/50C for davit FPD-D60
Winch for freefall davit : FW35
Winch for rescue boat crane : DEW 150/450, RZ25

- SHIN MYUNG TECH CO., LTD. /
Launching applicances : SM-LRD, SMRB&amp ; PVH, SMRB&amp ; LR, SMRBD-LSW, SMLRD-LSW, SMRB&amp ; LR-NLSW

- JIANGSU JIAOYAN MARINE EQUIPMENT CO., LTD. /
Free fall lifeboat : JY-FN-4.9, JY-FF-4.9, JY-FN-5.8, JY-FF-5.8, JYM-FN-6.65, JYM-FF-6.65, JY-FN-6.8, JY-FF-6.8, JY-FN-7.5, JY-FF-7.5, JY-FN-8.5, JY-FF-8.5, JY-FN-9.5, JY-FF-9.5
Rescue boat : GJ4.2, GJ4.25, GJ4.5, GJ5.0, GJ5.25, GJ6.0B-1, GJ6.10, GJ7.50, GJ8.0Q-2, GJ8.5Q-2
Totally enclosed lifeboat :
JY-QFP/N-5.0, JY-QFP/N-5.25, JY-QFP/N-5.6, JY-QFP/N-6.0A
JY-QFP/N-6.50, JY-QFP/N-7.0, JY-QFP/N-7.5, JY-QFP/N-7.50A
JY-QFP/N-8.00, JY-QFP/N-8.50, JY-QFP/N-8.50X, JY-QFP/N-9.35, JY-QFP/N-10.90A
Hook : JX and JXN Series

Endorse

APPENDIX I

No. : HDOLS-0016-25

Gravity luffing arm type davit : JYL52, JYL55, JYL65, JYL85, JYL105, JYL135
Launching appliance : JYF55, JYF75, JYF75-A, JYF75-B, JYF90
Platform davit : JYP65, JYP85, JYP105, JYP135
Single arm davit : JYR21, JYR21S-A, JYRC21, JYR14, JYRH14, JYRH21, JYR26, JYR30, JYR23
Electric boat winch : FW45, JYW42, JYW50, JYW70, JYW100, JYWP70, JYWP100, JYWP135, JYW35, JYRZ21

- MANSEI INC.(EX. MANSEI INDUSTRY CO.,LTD.) /
DAVIT: Series of EBD-,EM-,ABD-,AH-,AT-,AV-,EH-,ET-,EV-,M-,CM- ;
Series of D-FH.,DE-FH.,MFE-,MFH-,SR-,SRE-,R-,S-,RD-,and EHR-.
WINCH: Series of EBW-,ABW-,AW-,EW-,MW-,CMW- ;
Series of 06.,FW-,SW-,RMW-,MLW-,and ERW-.
RELEASE HOOK: Series of RH-

-MIURA MACHINE CO.,LTD.(EX. MIURA VIDER CO.,LTD.) /
Davits : Series of SP,MVD,GRA and SAR
Winches : Series of BH,BE and BA

Reference

Endorse

APPENDIX I

No. : HDOLS-0016-25

Company :

Address :

Tel :

Fax :

E-mail :

Country :

City :

KR-Branch :

Reference