CERTIFICATE OF APPROVAL OF SERVICE SUPPLIER

No. : HDOLS-0018-26

This is to certify that

L46 Traders CC T/A Bosss Lifeboats & Lifesaving Services.

Address : 86 Leicester Road ; Mobeni, Durban ; 4004 ; SOUTH AFRICA

is approved as a service supplier to provide the following service under Guidance for Approval of Service Suppliers and the relevant requirement of the society rule.

Scope of service

The servicing Inflatable liferafts, Inflatable lifejackets, Hydrostatic release units Maintenance, thorough examination, operational testing, overhaul and repair of Lifeboats, Rescue boats, Launching appliances, Release gear

This certificate is valid until **2029.04.13**

Issued at **Busan** on **2026.04.14**

See the appendix for details regarding manufacturer authorizations, etc

KOREAN REGISTER

General Manager of
Survey Team

TERMS AND CONDITIONS

A. The Responsibility and Duty of the Registered Company

(1) The operator who carries out the service shall possess the appropriate license issued by the Government or have equivalent qualifications.
(2) The registered company shall be responsible for ensuring the safety of the operator from any danger which can arise during operation.
(3) The registered company shall check the equipment to ensure the proper functioning of the equipment before operation.
(4) The registered company, if necessary, shall have the equipment calibrated by authorized organizations in order to maintain the required accuracy within the period prescribed in the standard, and have the contents recorded and maintained.
(5) The registered company shall keep a copy of the service report submitted to this Society and applicant for at least 5 years.
(6) The registered company shall notify this society immediately of any alterations of the condition at the time of the approval, including changes of staff and of any entries on this certificate.

B. Confidentiality

The detail information acquired during the job shall not be disclosed or released to third party without permission of the applicant or this Society.

C. Scope and Limitation

The extent of engagement is limited to the scope stated on this Certificate unless attached otherwise.

D. Renewal of the Approval

Renewal audit should be carried out within 3 months before the expiry date of Certificate. However, the validity of new Certificate will be started from the next day of expiry date of previous Certificate.

E. Cancellation of Approval

The approval may be cancelled in cases:
(1) Where the service provided is improperly carried out or the results are improperly reported.
(2) Where the Society's surveyor has found major deviations in the operating system of the firm.
(3) Where the supplier fails to inform of any alteration to the operation system to this Society.
(4) Where occasional audit, when deemed necessary by this Society, has not been carried out.
(5) Where wilful acts or omissions are ascertained.
(6) Where the approval fees are not paid.

APPENDIX I

No. : HDOLS-0018-26

The service supplier has been certified or licensed to service the particular makes and models of equipment listed in the appendix.

A. Manufacturer(s) of Lifeboats, Rescue boats, Launching appliances, Release gear / Type
* The service supplier has been certified or licensed to perform maintenance, thorough examination, operational testing, overhaul and repair for the particular makes and models of equipment in accordance with Res.MSC 402(96).

- GLOBAL DAVIT GMBH /
Launching and recovery appliances for single point suspended life-saving crafts ; Type code: X1X2X3.x4.x5.x6
X1 = F/L/R, X2 = g/h/m, X3 = p/s/t, x4-x6 are the options in case of a multi purpose system and can be: L/R/S
Launching and recovery appliances for double point suspended life-saving crafts ; Type code: X1xx2XX3.x4
X1 = G, xx2 = sp/lp, XX3 = FP/FL/MP/RT/TT, x4 = h
Winches for launching and recovery of life saving appliances ; Type code: X1NN1X2
X1 = W, NN1 = output torque in kNm, X2 = HC/L/R/M/E
Release gears for liferaft and/or rescue boat handling: HRN.12, HRN.28, HRL.26

- HATECKE SERVICE Gmbh /
(Fast) Rescue Boat : RB AB, RB AB Duplex, RB AB FH, RB IB, RB/FRB AB FH
Launching appliances : FFA, FFA LP, FFB, Gsp.O, GspFP, Gxp.FLH, W07, W10, W26
Lifeboats : GFF, GFF-T, GSAR, GSL, GSL-T
Release Gear : Duplex2.6, Duplex3.0, Duplex3.5,m Duplex4.3/4.6, Duplex 6.0, GFF-R-10, GFF-R-11, GFF-R-8, RAFTI 2.5, Simplex 2.0 Off-Load, Simplex 2.0 to, Simplex 2.0i, Simplex 3.0, Simplex 4.3, Simplex 6.0

- KYORITSU KIKAI CO., LTD. /
Free Fall Lifeboat Type : Series of LAF
Liferaft/Rescueboat Type : Series of DBZ

- VANGUARDE PTE LTD /
LIFEBOAT &amp ; RESCUE BOAT VG / VG-FF/FC / KR / DB / DRS / DR4 / HLB / HLBLR / FRK / FRW
HOOK (LRRS) C-SAFE / SPEARHEAD / HK /SHF
DAVIT LVD / PL / A / PLR / SRH / LR / VAE / VAH / VL / VL-G / VS /VF / HSD
WINCH DW/D / DW/S / SLR / DWP / HW / PRH / VW/S / VW/Z

- CSSC Luzhou Zhenjiang Marine Auxiliary Machinery Co.,Ltd. /
(Davit)

Endorse

APPENDIX I

No. : HDOLS-0018-26

Gravity davit:
LE45-1/LE55-1/LE65-1/LE85-1/LE I 00-1/LE 138-1 /LE 170-1 /HE65/HE85/HE I 00/HE 138/H170/ RE50/ RE60/RE80/
RE100/SRH65/SRH85/SRH100/SRH120/SRH150/SRH170 /SRH200/SRH230 /GL65/GL85/GL110/ GL138/GLI65/ TG65/TG85/TG110/ TG150/ TG170/TG200/TG230/HT80 /HT100/HT150/HT2100/ LC400/RC60-EB
Launching appliance davit: FH55/FH70/FH75/FH85/FH100
Single arm davit and crane: SAF14/SAF21/SAFC21/SAFC25/SA21/SA32/HDCL2-6.5 /HDCL3-6/ HDCL3-10/LA25/LA35/SH-21 /DH30
Off-Shore davit: PL65/PL85/PL100/PL110/PL120/PL138/PL150/PL180 /PL200/PL230
Fast rescue boat davit: LFR30/FR35/LFR55/LFRH30/LEFR50/LFRH60/DH30 /SAWH30 /SAWH45/ SAWH60
(Lifeboat)
Totally Enclosed Lifeboat:
YH5.0QFP/YH5.0QFN/YH6.5QFP/YI 16.5QFN/YH8.SQFP /YH8.SQFN/YH8.5QFP-A /YH8.5QFN-A/ YH10.JQFP/
YH10.3QFN/YH9.5QFP/YH9.5QFN/YH 12.0QFP /YH 12.0QFN /YH9.9BFP/YH 12.SBFP/ZZHG-BF-12.5
Free Fall Lifeboat: YH5.9FP/ YH5.9FN/YH6.7FP/Yl-16.7FN/Yl-17.5FP/ YH7.5FN/YH8.SFP/YH8.5FN
Fast rescue boat: YH6.0FRA/YH6.0FRB/YH6.5FRA/YH6.5FRB
Rescue boat: YH4.5R/YH4.5DR/YH7.5
(Hook)
HK25/HK25B/HK40/HK40C/HK65/SH55/SH70/SH85
Handle release hook I 5KN. Automatic release hook 21 KN/23KN/25KN/35KN

- FASSMER
Davit launched totally enclosed lifeboat :
GMR 5.9/6.5/7.4/8.3, TGMR 5.9/6.5/7.4/8.3, CLR-C 5.9/6.4/6.8/7.2/7.6/8.1/8.5,
CLR-T 5.9/6.4/6.8/7.2/7.6/8.1/8.5,
CL-C 8.9/9.4/9.8/10.2/10.7/11.1/11.5/11.9/12.4/12.8/13.2,
CL-T 8.9/9.4/9.8/10.2/10.7/11.1/11.5/11.9/12.4/12.8/13.2,
CLX 8.5/10.0/11.7/12.8
Freefall Lifeboat :
CFL 4.9/-T4.9, GAR6.0/-T6.0/6.8/-T6.8/6.7/-T6.7/7.4/-T7.4/8.1/-T8.1/7.7/-T7.7/8.5/-T8.5, CFL-C66/72 /77/83, CFL-T66/72/77/83
Partially enclosed Lifeboats :
CL-P 5.9/6.4/6.8/7.2/7.6/8.1/8.5/8.9/9.4/9.8/10.2/10.7/11.1/11.5/11.9/12.4/12.8/13.2, SEL8.15/8.8/9.6/ 10.5/10.55/11.80/12.5/15.75, SEL-R 8.15, SEL-T 10.75
Partially enclosed Lifeboats - Tenderboat :
TL Limo 1100, SEL-T 11.0/11.7/12.3/14.0/14.7/15.75, PLL 1099, PLT-EVO 170
Partially enclosed lifeboats, Tenderboat and rescue boat : SEL-RT 7.7/7.5/8.5

Endorse

APPENDIX I

No. : HDOLS-0018-26

Partially enclosed Life-and Crew Tenderboat : SEL 11.0 (-T)
Partially enclosed Life-/Rescue-/Work-/Tenderboat : SEL-R 7.4/8.5
High-performance tender : SFB 10.1
Rigid Rescue boat : RR 4.2/4.2-M/4.5ID
Rescue boat : RIR 625 ID
Fast Rigid Rescue boat :
FR (I)R6.1/6.1ID, FRR 6.2 ID/6.5ID-SF/6.6ID/7.0ID-SF/7.0, FRIR 6.25
Freefall Lifeboat Release Mechanism : FFRU 6.6
Offload rescue boat hook : FOH 27/30/70
On load release gear :
Duplex 25E2/2.5E/50E2/5.0E/60E2/6.6E/10E/140E2/14E/17E/180E2/230E2/23E/23T
Fassmer Hydraulic Davit : FHD 80/100/120/130/150/170/172/280/450
Hinged Davit : FHDY 100
Freefall Davit : FFH 45/65
Pivot davit : FPD 55/60/100/80/120/150/170/FFD D60
Freefall Davit : FFH 49/50/60/66/70/72/75/77/80/83/85/90
Freefall ramp : FLR49/66/8005/8006/8007
Multi Pivot Davit : FMPD 100/130/150/160
Outrigger davit :
FOD 100/120/130/150/170/190/40R/50/55/80/LBC 300/SAR40/-R22/-R23/-R25/-R40/TC450
Rescue Boat Davit : FOSV 71, FSAH 22
Rescue Boat Crane: FSAH 28, FSAH 32, FSAR 14/2.9, FSAR 14/3.5, FSAR 21/4.5, FSAR 21/4.0, FSAR 28, FSAR 40
Rescue Boat/Liferaft Crane: FSAR 12/3.5, FSAR 14/3.5, FSAR 21/3.8, FSAR 21/4.0, FSAR 21/4.3, FSAR 22/4.5, FSAR 22/4.0
FRC crane : PRHE 30
Fassmer Winch : DEW 40/85/2000
Fassmer Winch/rescue boat crane : DEW 8, FWD 40RB, DEW150
Fassmer Freefall Winch : FFWH

- GEPA-FIBERGLASS INDUSTRY /
All types of Lifeboats, Rescueboats and Hook Release Devices manufactured by GEPA

- HOEI SENPAKU CO., LTD. /
HS650, HS650F, HS520, HS520F, SO, SM, FO, FM

- HLB Co.,Ltd and BADA HI Co.,Ltd. /
(HLB(ex, Hyundai Lifeboats) Co.,Ltd.)
Lifeboat &amp ; Rescue Boat : Series of HD, HT, HDL, HLB ; HDF, HDFL, HDFN ; HDR &amp ; HDFR
Release Mechanism : Series of THP, Titan, Talon &amp ; Talon II

Endorse

APPENDIX I

No. : HDOLS-0018-26

(BADA Heavy Industries(ex, D.R.M) Co.,Ltd.)
Davit : Series of DRM, DRBD, BDH, BDTD, BDHP, BDTW, BDRW, BDM, BFOD, HDL, BHR FF, HDFL, HDF, BDF, BDFD, BDR, BDH, BDA, BDFA, BDL, BDR, BLR &amp ; BHI
Winch : Series of DRM, DRBW, HLDF, BAW, BDF, BDFD, HDFL, HDF, BHI, BLR, BLW, BMW, BRW, BWL, BWR &amp ; FHW
Release Mechanism : Series of BDR, BHA &amp ; BHR

- JIANGYINSHI BEIHAI LSA CO., LTD. /
BOAT: SERIES OF SC, JYB
HOOK: SERIES OF JYBHK
DAVIT: SERIES OF
SM, SAC, SA, FA, LB, LA, BGHG, PD, FRH, EHRD, SRH, BHGP, RB, HB, HDC, ESAD
WINCH: SERIES OF D, DW, HW, JYBW, FFW

- JAPAN MARINE UNITED CORPORATION /
Gravity &amp ; Free Fall Life Boat: Series of GF , GT , GTR , GTC , S , G , MU - FN , MU - FF
Gravity &amp ; Free Fall Davit: Series of MUL , MUF
Winch: Series of MUW
Rescue Boat: Series of MU - GJ
Rescue Davit: Series of MUR
Others: JY series of Jiangsu Jiaoyan with JMU nameplate with JG ship inspection approval certificate

- QINGDAO BEIHAI BOATBUILDING CO., LTD. /
Lifeboat
Total enclosed : BH-5, 5A, 5S, 5SA, E500, E585, 6, 6A, 6S, E670, 7A, 7B, 8,
Lifeboat Freefall: BH-F6.0, F7.0A, F7.8, F8.1, F5.8, F6.8, F660, F670, F750, F900/A
Rescue : BH-R4, R4S, R4SA, R5S
Davit
Gravity Pivot : BD-PV50, PV60, PV60S, PV85, PV125
Freefall launching : BD-FF55, 55A, 55R, FF80, 80A, 80R, 80B, FF65, FF66, FF67, FF85
Single arm : BD-SA14, 14A, 14B, SA21, 21A, SA23, SA30, 30A, SA33, SH23
Winch
BW-H(L/R)31S, 50, 63, 75 ; L(L/R)75, 125 ; SC14 ; 21, YSBseries hydrualic winch
Release Mechanishm
Gravity lifeboat : BG-3, 3R, 3L, BG-7 ; BH-HO0K3, HO0K5, FS5, FS7
Freefall lifeboat : BG-3F, 3.5F, 4F, 4.5F, 4.5FL, 5F, 6F
Rescue boat : BG-2R, 15KNXS, 21, 23, 25KNXS, 35KNXS

- MANSEI INC.
Types of products manufactured by MANSEI INC.

Endorse

APPENDIX I

No. : HDOLS-0018-26

Davits: Series of "EBD-", "EM-", "ABD-", "AH-", "AT-", "AV-", "EH-", "ET-", "EV-", "M-", "CM-" "D-FH-", "DE-FH-", "MFE-", "MFH-", "SR-", "SRE-", "R-", "S-", "RD-", and "EHR-"
Winches: Series of "EBW-", "ABW-", "AW-", "EW-", "MW-", and "CMW-" ; Series of "06-", "FW-", "SW-", "RMW-", "MLW-", and "ERW-"
Release hooks: Series of "RH-"

Types of products manufactured by MIURA MACHINE CO., LTD.
Davits: Series of "SP", "MVD", "GRA", and "SAR"
Winches: Series of "BH", "BE", and "BA"

- NISHI -F CO., LTD.
G-series, ML-series, F-series

- ORIENTAL INSPECTION &amp ; SERVICE CO., LTD.(ORIENTAL PRECISION &amp ; ENGINEERING CO., LTD.) /
* HINGED GRAVITY TYPE DAVIT &amp ; WINCH :
DAVIT : HGD SERIES, HGK SERIES SHS SERIES,
RTD SERIES, DHA SERIES, DMA SERIES
WINCH : BWE SERIES, SWE SERIES, WL SERIES
* FREE FALL DAVIT and WINCH : FD SERIES, WL SERIES
* RESCUE / LIFERAFT DAVIT and WINCH : RD SERIES, RDW SERIES

- SEKIGAHARA SEISAKUSHO LTD.
Gravity type davit: SH, SFB, SHS, STS, SSS
Free-fall lifeboat davit: SFS, SFA, SFB, SFC, SFD
Rescue boat davit: SJS, SJR
Winch: SNW, SWE

- SHIIGI SHIPBUILDING CO., LTD.
SZ series, FEL series, VOX series, GARS series, OPEN type and release gear

- Fassmer-Marland Ltd. /
Davit launched totally enclosed lifeboat:
DRAGON 26C, DRAGON 26T, DRAGON 32C, DRAGON 32T, DRAGON 38C, DRAGON 38T, GMR 6.5, GMR-T6.5, GMR 7.4, GMR-T7.4, HH57C, HH57T, HH65C, HH65T, HH70C, HH70T, CLR-C5.9, CLR-T5.9
Freefall lifeboat:
GAR 6.7, GAR-T6.7, GAR 7.4, GAR-T7.4, CFL-C49(E), CFL-T49(E), CFL-C66(E), CFL-T66(E), CFL-C72(E) , CFL-T72(E), CFL-C77(E), CFL-T77(E), CFL-C83(E) ,CFL-T83(E)
Rigid rescue boats:
RR4.2 / RR4.2-M, RRH4.2, RR4.2 ID

Endorse

APPENDIX I

No. : HDOLS-0018-26

Fast rescue boats:
FRR6.1 ID, FRR6.2 ID
On load release gears:
Duplex 2.5, Duplex 2.5E, Duplex 25E2, Duplex 5.0, Duplex 5.0E, Duplex 50E2, HH43
Freefall Lifeboat Release Mechanism:
Single Type 5.1, FM53
Pivot davit:
FPD-D52, FPD-D60, FPD-D68, FPD-DH68, SRH70
Freefall davit:
FFH49, FFH49D, FFH66, FFH66D, FFH72, FFH77, FFH83,
Freefall ramp:
FLR49, FLR66, FLR72
Rescue boat crane:
FSAR 14/3.5HS, FSARR 14/3.5HS, FSAR 4.0/3.5HS FSAR 21/4.0HS, FSARR 21/4.0HS, FSARR 22/4.0HS, FMAH 22KN, FSAR 25, FSAR25W, FSAR21
Winches for pivot davit:
DEW 15-24, DEW 15-35, DEW 15-44, D52L/D52R, DW34S/DW34Z, MW50/MW50C for FPD-D60
Winch for freefall davit:
FW35
Winch for rescue boat crane:
DEW 150, DEW 450, RZ25, DZA20

* HAIHONG BOAT MAKING CO., LTD.(GUANGZHOU)
Lifeboats:
HH57C, HH57T, HH65C, HH65T, HH70C, HH70T
Onload Release Geares/Lifeboat release &amp ; Retrieval system: HH43

- JIANGSU JIAOYAN MARINE EQUIPMENT CO. LTD. /
Free fall lifeboat: JY-FN-4.9, JY-FF-4.9, JY-FN-5.8, JY-FF-5.8, JYM-FN-6.65, JYM-FF-6.65, JY-FN-6.8, JY-FF-6.8,
JY-FN-7.5, JY-FF-7.5, JY-FN-8.5, JY-FF-8.5, JY-FN/FF-9.5
Rescue boat: GJ4.2, GJ4.25, GJ4.5, GJ5.0, GJ5.25, GJ6.0B-1, GJ6.10, GJ7.50, GJ8.0Q-2, GJ8.5Q-2
Totally enclosed lifeboat: JY-QFP/N-5.0, JY-QFP/N-5.25, JY-QFP/N-5.6, JY-QFP/N-6.0A, JY-QFP/N-6.50, JY-QFP/N-7.0, JY-QFP/N-7.5, JY-QFP/N-7.50A, JY-QFP/N-8.00, JY-QFP/N-8.50, JY-QFP/N-8.50X, JY-QFP/N-9.35, JY-QFP/N-10.90A
Hook: JX and JXN Series
Gravity luffing arm type davit: JYL52, JYL55, JYL65, JYL68, JYL85, JYL105, JYL135
Launching appliance: JYF55, JYF75, JYF75-A, JYF75-B, JYF90
Platform Davit: JYP65, JYP85, JYP105, JYP135
Single arm davit: JYR21, JYR21S-A, JYRC21, JYR14, JYRH14, JYRH21, JYR26, JYR30, JYR23

Endorse

APPENDIX I

No. : HDOLS-0018-26

Electric Boat Winch: FW45, JYW42, JYW50, JYW70, JYW100, JYWP70, JYWP100, JYWP135, JYW35, JYRZ21

- MACGREGGOR
Macgregor Davits and TTS Davits (Macgregor, Hydramaskin, Hydramarine, Grampian: All Related series of A davits, AC Davits, G Davits, T Davits, S Davits, L Davits, F Davits and grampian davits Macgrgor, TTS, Hydralift: All Related Serries of HL6D and HL9D)

- SEZAMOR SP. z o.o.
Davit, Winch, Release hooks - All type

- WEST MARINE ENGINEERING PTE LTD(ZHENJIANG WWEST MARINE EQUIPMENT CO., LTD
WME-SAD14, WME-SAD23, WME-SAD30, WME-LR30, WME-LRH30, WME-LRH35, WME-LRH75, WME-MGD185, WME-HTD30

-WUXI HAI HONG BOAT MAKING CO., LTD.

- d-i (davit international-hische GmbH, Hische GmbH, davit international GmbH, davit internationl BV) /
Crane for freefall boat : C-F series
Crane for boat handling : C-S series
Free-fall davit only : D-F series (freefall only)
Free-fall davit : D-TF series, D-FH/FG series
Roller track davit : D-RT series (roller track davit only)
Fixed offshore davit : D-FO series
Normal pivot davit : D-NP series excl. D-NP,MP and D-NP.SP series
Boat davit : D-BC series, D-BR series
Rescue boat davit : D-CL series, D-CR series, D-NPS.SP series, D-SR series
Raft handling davit : D-RC series, D-RB series
Rescue boat hook : RH series, OLH series
Liferaft hook : OLRH series
Sezamor / Liferaft hook : HS series
Palfinger / Liferaft/Rescue boat hook : ARH and CAR series
T-ISS / Liferaft/Rescue boat hook : PX series

- BOPP /
Annual, five-yearlt, major repairs(no welding, no electric) and overhauls of basic systems and installation of Bopp upgrade and installation of original spare parts manufactured directly by Bopp

- PIRIOU /
FRB 720M

Endorse

APPENDIX I

No. : HDOLS-0018-26

Reference

Endorse

APPENDIX I

No. : HDOLS-0018-26

Company :

Address :

Tel :

Fax :

E-mail :

Country :

City :

KR-Branch :

Reference