CERTIFICATE OF APPROVAL OF SERVICE SUPPLIER

No. : HDOLS-0044-25

This is to certify that

IDP S.A.

Address : Jose E. Colombres 2353, Codigo postal (1605) Munro- Prov. Buenos Aires, Argentina

is approved as a service supplier to provide the following service under Guidance for Approval of Service Suppliers and the relevant requirement of the society rule.

Scope of service

The servicing Inflatable liferafts, Hydrostatic release units
Maintenance, thorough examination, operational testing, overhaul and repair of Lifeboats, Rescue boats, Launching appliances, Release gear

This certificate is valid until **2028.06.04**

Issued at **Busan** on **2025.06.05**

See the appendix for details regarding manufacturer authorizations, etc

KOREAN REGISTER

General Manager of
Survey Team

TERMS AND CONDITIONS

A. The Responsibility and Duty of the Registered Company

(1) The operator who carries out the service shall possess the appropriate license issued by the Government or have equivalent qualifications.
(2) The registered company shall be responsible for ensuring the safety of the operator from any danger which can arise during operation.
(3) The registered company shall check the equipment to ensure the proper functioning of the equipment before operation.
(4) The registered company, if necessary, shall have the equipment calibrated by authorized organizations in order to maintain the required accuracy within the period prescribed in the standard, and have the contents recorded and maintained.
(5) The registered company shall keep a copy of the service report submitted to this Society and applicant for at least 5 years.
(6) The registered company shall notify this society immediately of any alterations of the condition at the time of the approval, including changes of staff and of any entries on this certificate.

B. Confidentiality

The detail information acquired during the job shall not be disclosed or released to third party without permission of the applicant or this Society.

C. Scope and Limitation

The extent of engagement is limited to the scope stated on this Certificate unless attached otherwise.

D. Renewal of the Approval

Renewal audit should be carried out within 3 months before the expiry date of Certificate. However, the validity of new Certificate will be started from the next day of expiry date of previous Certificate.

E. Cancellation of Approval

The approval may be cancelled in cases:
(1) Where the service provided is improperly carried out or the results are improperly reported.
(2) Where the Society's surveyor has found major deviations in the operating system of the firm.
(3) Where the supplier fails to inform of any alteration to the operation system to this Society.
(4) Where occasional audit, when deemed necessary by this Society, has not been carried out.
(5) Where wilful acts or omissions are ascertained.
(6) Where the approval fees are not paid.

APPENDIX I

No. : HDOLS-0044-25

The service supplier has been certified or licensed to service the particular makes and models of equipment listed in the appendix.

A. Manufacturer(s) of Inflatable liferafts
- VIKING LIFE-SAVING EQUIPMENT
- FUJIKURA COMPOSITES INC.

B. Manufacturer(s) of HRU(Hydrostatic Release Unit)
- FUJIKURA COMPOSITES INC.

B. Manufacturer(s) of Inflatable lifejackets
- VIKING LIFE-SAVING EQUIPMENT

B. Manufacturer(s) of Lifeboats, Rescue boats, Launching appliances, Release gear / Type
* The service supplier has been certified or licensed to conduct maintenance, thorough examination, operational testing, overhaul and repair for the particular makes and models of equipment, as follow, in accordance with Res.MSC.402(96)

- QINGDAO BEIHAI BOATBUILDING CO., LTD, /
Lifeboat Total enclosed : BH-5,6,7,8,9,10 series, BH-E series
Lifeboat Freefall : BH-F series
Rescue : BH-R series, BH-HR series
Davit Gravity Pivot : BD-PV series, BD-AR series
Davit Offshore : BD-PL series
Davit Single arm : BD-SA series, BD-SH series, FA36, RBD966
Davit Freefall launching : BD-FF series
Winch : BW-H(L/R) series ; L(L/R) series ; SC series ; YSB/INI/BJM hydraulic winch series
Release Mechanism Gravity Lifeboat : BG-3/3R/3L/7/10 ; BH-HOOK3/5, FS5/7/10/13
Release Mechanism Freefall Lifeboat : BG-3F,3.5F,4F,4.5F,4.5FL,5F,6F
Release Mechanism Rescue boat : BG-2R,Wuxi XS series, Jimo CS series
Winch : BW-H(L/R) series ; L(L/R) series ; SC series ; YSB/INI/BJM hydraulic winch series

- JIANGYINSHI BEIHAI LSA CO.,LTD. /
BOAT : SERIES OF SC,JYB
HOOK : SERIES OF JYBHK
DAVIT : SERIES OF SAC,SA,FA,LB,LA,BHGH,PD,FRH,EHRD,SRH,BHGP,RB,HB,HDC,ESAD
WINCH : SERIES OF D, DW, HW,JYBW,FFW

- WUXI DONGWU MARINE EQUIPMENT CO.,LTD. /
Gravity Luffing Arm Davit : 18kN, 25kN, 40kN, 50kN, 60kN, 60kN(60L), 85kN,110kN, T2.5, SK50

Endorse

APPENDIX I

No. : HDOLS-0044-25

Gravity Sliding Track Davit : 25kN, 30kN
Free-fall Lifeboat Launching Appliance : F55, F70, NPT100F
Rescue Boats/liferafts Launching Appliance :
21kN manual, 21kN Electrical, 21kN Electrical/hydraulic, 25kN Electrical/hydraulic, 35kN Electrical/ hydraulic, DWC210
Rescue Boats Launching Appliance : A30, H35
Life Boat Winch : DS * ZY25, DS * ZY40, D50S, DS * ZY63, D63S, 80Kn(life)
Life/rescue boat winch : DZY/Z21, DZ * ZY25, DZ * ZY40, D50Z, DZ * ZY63, D63Z, 80Kn(rescue)

- JIANGSU JIAOYAN MARINE EQUIPMENT CO.,LTD. (Formerly : Jiangyin Xinjiang F.R.P Co., Ltd.) /
Free Fall lifeboat :
JY-FN-4.9, JY-FF-4.9, JY-FN-5.8, JY-FF-5.8
JYM-FN-6.65, JYM-FF-6.65, JY-FN-6.8, JY-FF-6.8
JY-FN-7.5, JY-FF-7.5, JY-FN-8.5, JY-FF-8.5, JY-FN/FF9.5
Rescue boat : GJ4.2, GJ4.25, GJ4.5, GJ5.0, GJ5.25, GJ6.0B-1, GJ6.10, GJ7.50, GJ8.0Q-2, GJ8.5Q-2
Totally enclosed lifeboat :
JY-QFP/N-5.0, JY-QFP/N-5.25, JY-QFN-5.6, GTR57JYC/F, JY-QFP/N-6.0A,
JY-QFP/N-6.50, JY-QFP/N-7.0, JY-QFP/N-7.5, JY-QFP/N-7.50A,
JY-QFP/N-8.00, JY-QFP/N-8.50, JY-QFP/N-8.50X,
JY-QFP/N-9.35, JY-QFP/N-10.90A
Hook : JX and JXN Series
Gravity luffing arm type davit : JYL52, JYL55, JYL68, JYL85, JYL105, JYL135
Launching appliance : JYF55, JYF75, JTF75-B, JYF90
Platform Davit : JYP65, JYP85, JYP105, JYP135
Single arm davit : JYR21, JRY21S-A, JYRC21, JYR14, JYRH14, JYRH21, JYR26, JYR30, JYR23
Electric Boat Winch : FW45, JYW42, JYW50, JYW70, JYW100, JYWP70, JYWP100, JYWP135, JYW35, JYRZ21

- ORIENTAL INSPECTION AND SERVICE CO., LTD.(Oriental Precision &amp ; Engineering Co., ltd) /
* Hinged Gravity Type Davit and Winch
Davit : HGD SERIES, HGK SERIES, SHS SERIES, RTD SERIES, DHA SERIES, DMA SERIES
Winch : BWE SERIES, SWE SERIES, WL SERIES
* Freefall Davit and Winch : FD SERIES, WL SERIES
* Rescue Boat Davit and Winch : RD SERIES, RDW SERIES

- HLB CO., LTD (ex. Hyundai Lifeboats) and BADA HEAVY INDUSTRIES (EX. D.R.M) CO., LTD. /
* HLB Co., Ltd.
Lifeboat and Rescue Boat : Series of HD, HT, HDL, HLB ; HDFL, HDFN ; HDR &amp ; HDFR
Release Mechanism : Series of THP, Talon and Talon II
* BADA HI(ex, D.R.M) Co., Ltd.

Endorse

APPENDIX I

No. : HDOLS-0044-25

Davit : Series of BDH, BDTD, BDHP, BDTW, BDRW, BDM and BFOD
Series of HDFL, HDF, BDF ; BDR, BDH, BDA, BDFA ; BDL, BDR &amp ; BHI
Winch : Series of BAW, BDF, BLW, BMW, BRW, BWL, BWR &amp ; FHW
Release Mechanism : Series of BDR, BHA and BHR

- CSSC LUZHOU ZHENJIANG MARINE AUXILIARY MACHINERY CO., LTD. /
Totally enclosed lifeboat:
YH5.0QFP,YH5.0QFN,YH6.5QFP,YH6.5QFN,YH8.5QFP,YH8.5QFN,YH8.5QFP-A,
YH8.5QFN-A,YH10.3QFP,YH10.3QFN,YH9.5QFP,YH9.5QFN,YH12.0QFP,YH12.0QFN
YH9.9BFP,YH12.5BFP,ZZHG-BF-12.5
Free fall lifeboat : YH5.9FP,YH5.9FN,YH6.7FP,YH6.7FN,YH7.5FP,YH7.5FN,YH8.5FP,YH8.5FN
Fast rescue boat: YH6.0FRA,YH6.0FRB,YH6.5FRA,YH6.5FRB
Rescue boat : YH4.5R,YH4.5DR,YH7.5
Hook : HK25,HK25B,HK40,HK40C,HK65,SH70,SH85
Handle release hook 15KN, Automatic release hook 21KN/23KN/25KN/35KN
Gravity davit:
LE55-1,LE65-1,LE85-1,LE100-1,LE138-1,LE170-1,HE65,HE85,HE100,HE138,H170
RE50,RE60,RE80,RE100,SRH65,SRH85,SRH100,SRH120,SRH150,SRH170,SRH200,
SRH230,GL65,GL85,GL110,GL138,GL165,TG65,TG85,TG110,TG150,TG170,TG200,
TG230,HT80,HT100,HT150,HT210,LC400
Launching appliance davit: FH55,FH70,FH75,FH85,FH100
Single arm davit and crane :
SAF14,SAF21,SAFC21,SAFC25,SA21,SA32,HDCL2-6.5,HDCL3-6,HDCL3-10,LA25,LA35,SH-21,DH30
Off-shore davit: PL65,PL85,PL100,PL110,PL120,PL138,PL150,PL180,PL200,PL230
Fast rescue boat davit:
LFR30,LFR350,LFR55,LFRH30,LEFR50,LFRH60,DH30,SAWH30,SAWH45,SAWH60

- VANGUARDE PTE LTD. /
Lifeboat &amp ; Rescue boat : VG/VG-FF/FC/KR/DB/DRS/DR4/HLB/HLBLR/FPK/FRW
Hook(LRRS) : C-SAFE/SPEARHEAD/HK/SHF
Davit : LVD/PL/A/PLR/SRH/LR/VAE/VAH/VL/VL-G/VS/VF/HSD
Winch : DW/D/DW/S/SLR/DWP/HW/PRH/VW/S/VW/Z

- SANGSANGIN INDUSTRY CO., LTD. (Ex- DONGNAM MARINE CRANE CO., LTD.) /
HINGED GRAVITY TYPE : DHG-57-FM, HGW-40-FM, DHG-70-FM, HGW-52-FM, HGW-50-FM,
DHG-73-FM, HCW-61-DM
SINGLE ARM TYPE : DLRD, DRLD, DSAD, PV COMBINED, DCHH, DPR, DNR, DRBD, DSAC, BSNKJ
FREE FALL TYPE DAVIT : FF, HDF
DSAM11-E2M0

Endorse

APPENDIX I

No. : HDOLS-0044-25

- TSUNEISHI FACILITIES and CRAFT CO., LTD. /
"Sanyo Works Co., Ltd. Kambara Ringyo Co., Ltd. Tsuneishi Forestry Construction Co., Ltd. Tsuneishi Holdings Corporation Tsuneishi Forestry Construction Company"
Lifeboat type / Release gear type
7.32M open type / Fixed type hook
KL-6.5TE, KL-6.5EP / 43GS-1(A), 43GS-1(B), 43GS-1(C)
TL-6.5TE, TL-6.5FP / 43GS-1(C), TL-5.7TE / 43GS-1(D)

- MANSEI INC. /
Davits : Series of EBD-,EM-,ABD-,AH-,AT-,AV-,EH-,ET-,EV-,M-,CM- ;
Series of D-FH.,DE-FH.,MFE-,MFH-,SR-,SRE-,R-,S-,RD-,and EHR-.
Winches : Series of EBW-,ABW-,AW-,EW-,MW-,CMW- ; Series of 06.,FW-,SW-,RMW-, MLW-,and ERW-.
Release hooks : Series of RH-

- MIURA MACHINE CO.,LTD. /
Davits : Series of SP,MVD,GRA and SAR
Winches : Series of BH,BE and BA

- NISHI -F CO., LTD. /
"NISHI-NIPPON F.R.P. SHIPBUILDING CO.,LTD.(previous name) and ISHIHARA DOCKYARD CO.,LTD. (transferred)"
Lifeboat, free-fall lifeboat with rescue boat and those release gears : G-series, ML-series, F-series

- SEKIGAHARA SEISAKUSHO LTD. /
Gravity type davit : SH, SFB, SHS, STS, SSS
Free-fall lifeboat davit : SFS, SFA, SFB, SFC, SFD
Rescue boat davit : SJS, SJR
Winch : SNW, SWE

- SHIGI SHIPBUILDING CO. LTD. /
SZ series, FEL series, VOX series, GARS series, OPEN TYPE AND RELEASE GEAR

- ZHEJIANG HENGXIN SHIP EQUIPMENTS CO.,LTD. /
Lifeboat series : BCC, BCF, BCFC, BCFF
Rescue Boat series : GJ, FRH, RH
Release Machanism series : HK
Davit Series : FH, SA, HDC, LFR, LR, HE, PD, SRH, LB, KN
Winch Series: DZB, D, DW

- Fassmer-Marland Int ' l Ltd. /

Endorse

APPENDIX I

No. : HDOLS-0044-25

DAVIT LAUNCHED TOTALLY ENCLOSED LIFEBOAT:
DRAGON 26C, DRAGON 26T TANKER VERSION, DRAGON 32C, DRAGON 32T TANKER VERSION, DRAGON 38C, DRAGON 38T TANKER VERSION, GMR 6.5, GMR-T6.5 TANKER VERSION, GMR 7.4, GMR-T7.4 TANKER VERSION, HH57C (HAI HONG TYPE), HH57T (HAI HONG TYPE) TANKER VERSION, HH65C (HAI HONG TYPE), HH65T (HAI HONG TYPE) TANKER VERSION, HH70C (HAI HONG TYPE), HH70T (HAI HONG TYPE) TANKER VERSION, CLR-C5.9, CLR-T5.9 TANKER VERSION,
FREEFALL LIFEBOAT:
GAR 6.7, GAR-T6.7 TANKER VERSION, GAR 7.4, GAR-T7.4 TANKER VERSION, CFL-C49(E), CFL-T49(E) TANKER VERSION, CFL-C66(E), CFL-T66(E) TANKER VERSION, CFL-C72(E), CFL-T72(E) TANKER VERSION, CFL-C77(E), CFL-T77(E) TANKER VERSION, CFL-C83(E), CFL-T83(E) TANKER VERSION,
RIGID RESCUE BOAT:
RR4.2/RR4.2-M, RRH4.2, RR4.2 ID
FAST RIGID RESCUE BOAT:
FRR6.1 ID, FRR6.2 ID
ONLOAD RELEASE GEARS:
DUPLEX 2.5, DUPLEX 2.5E, DUPLEX 25E2, DUPLEX 5.0, DUPLEX 5.0E, DUPLEX 50E2, HH43(HAI HONG TYPE)
PIVOT DAVIT:
FPD-D60, FPD-D68, FPD-DH68, SRH70
FREEFALL DAVIT:
FFH49, FFH49D, FFH66, FFH66D, FFH72, FFH77, FFH83
FREEFALL RAMP:
FLR49, FLR66, FLR72
RESCUE BOAT CRANE:
FSAR 14/3.5HS, FSARR 14/3.5HS, FSAR 4.0/3.5HS, FSAR 21/4.0HS, FSARR 21/4.0HS, FSARR 22/4.0HS, FMAH 22KN, FSAR 25, FSAR25W, FSAR21
WINCH FOR PIVOT DAVIT:
DEW 15-24, DEW 15-35, DEW 15-44, D52L/D52R, DW34S/DW34Z, MW50/MW50C FOR DAVIT FPD-D60
WINCH FOR FREEFALL DAVIT:
FW35
WINCH FOR RESCUE BOAT CRANE:
DEW150, DEW450, RZ25
DAVIT LAUNCHED TOTALLY ENCLOSED LIFEBOAT:
HH57C(HAI HONG TYPE),
HH57T (HAI HONG TYPE) TANKER VERSION, HH65C (HAI HONG TYPE),
HH65T (HAI HONG TYPE) TANKER VISION, HH70C (HAI HONG TYPE),
HH70T (HAI HONG TYPE) TANKER VERSION
ONLOAD REAEASE GEAR:

Endorse

APPENDIX I

No. : HDOLS-0044-25

HH 43 (HAI HONG TYPE)

- GEPA - Fiberglass Industry &amp ; Trade Co. Inc. /
Freefall Lifeboats : G-FFF1 &amp ; G-FFF1-FP, G-FFF2 &amp ; G-FFF2-FP, G-FFF3 &amp ; G-FFF3-FP
Partially Enclosed Lifeboats : G-F6YK, G-F4YK, G-F3YK &amp ; G-F3YK-T
Totally Enclosed Lifeboats : G-F6K &amp ; G-F6K-FP, G-F4K &amp ; G-F4K-FP, G-F3K &amp ; G-F3K-FP
Open Type Lifeboats : G-F1, G-F2, G-F3, G-F4, G-F5, G-F6
Service &amp ; Utility Boats : G-F1-UB, G-F2-UB, G-F3-UB, G-F4-UB, G-F5-UB, G-F6-UB, G-GSB1, G-GSB2, G-GSB3, G-GSB4
Rescue Boats &amp ; Hook Release Devices : G-RB1, G-RB1-DE, G-RB3, G-RIB1, G-FRB1-O, G-FRB2-O, G-K1, G-K2

- GLOBAL DAVIT GMBH /
Launching and recovery appliances for single point suspended life-saving crafts ; Type code: X1X2X3.x4.x5.x6
X1 = F/L/R, X2 = g/h/m, X3 = p/s/t, x4-x6 are the options in case of a multi purpose system and can be: L/R/S
Launching and recovery appliances for double point suspended life-saving crafts ; Type code: X1xx2XX3.x4
X1 = G, xx2 = sp/lp, XX3 = FP/FL/MP/TT, x4 = h
Winches for launching and recovery of life saving appliances ; Type code: X1NN1X2
X1 = W, NN1 = output torque in kNm, X2 = HC/L/R/M/E
Release gears for liferaft and/or rescue boat handling: HRN.12, HRN.28, HRL.26

- FASSMER SERVICE GMBH &amp ; CO. KG /
Davit launched totally enclosed Lifeboats: GMR 5.9, TGMR 5.9 Tanker Version, GMR 6.5, TGMR 6.5 Tanker Version, GMR 7.4, TGMR 7.4 Tanker Version, GMR 8.3, TGMR 8.3 Tanker Version, CLR-C 5.9, CLR-T 5.9 Tanker Version, CLR-C 6.4, CLR-T 6.4 Tanker Version, CLR-C 6.8, V Tanker Version, CLR-C 7.2, CLR-T 7.2 Tanker Version, CLR-C 7.6, CLR-T 7.6 Tanker Version, CLR-C 8.1, CLR-T 8.1 Tanker Version, CLR-C 8.5, CLR-T 8.5 Tanker Version, CL-C 8.9 , CL-T 8.9 Tanker Version, CL-C 9.4, CL-T 9.4 Tanker Version, CL-C 9.8, CL-T 9.8 Tanker Version, CL-C 10.2, CL-T 10.2 Tanker Version, CL-C 10.7, CL-T 10.7 Tanker Version, CL-C 11.1, CL-T 11.1 Tanker Version, CL-C 11.5, CL-T 11.5 Tanker Version, CL-C 11.9, CL-T 11.9 Tanker Version, CL-C 12.4, CL-T 12.4 Tanker Version, CL-C 12.8, CL-T 12.8 Tanker Version, CL-C 13.2, CL-T 13.2 Tanker Version, CLX (R) 8.5, CLX 10.0, CLX 11.7, CLX 12.8
Freefall lifeboat: CFL 4.9, CFL-T 4.9 Tanker Version, GAR 6.0, GAR-T 6.0 Tanker Version, GAR 6.8, GAR-T 6.8 Tanker Version, GAR 6.7, GAR-T 6.7 Tanker Version, GAR 7.4, GAR-T 7.4 Tanker Version, GAR 8.1, GAR-T 8.1 Tanker Version, GAR 7.7, GAR-T 7.7 Tanker Version, GAR 8.5, GAR-T 8.5 Tanker Version, CFL-C 66, CFL-T 66 Tanker Version, CFL-C 72, CFL-T 72 Tanker Version, CFL-C 77, CFL-T 77 Tanker Version, CFL-C 83, CFL-T 83 Tanker Version

Endorse

APPENDIX I

No. : HDOLS-0044-25

Partially enclosed Lifeboats: CL-P 5.9, CL-P 6.4, CL-P 6.8, CL-P 7.2, CL-P 7.6, CL-P 8.1, CL-P 8.5, CL-P 8.9, CL-P 9.4, CL-P 9.8, CL-P 10.2, CL-P 10.7, CL-P 11.1, CL-P 11.5, CL-P 11.9, CL-P 12.4, CL-P 12.8, CL-P 13.2, SEL 8.15, SEL 8.8, SEL 9.6, SEL 10.5, SEL 10.55, SEL 11.80, SEL 12.5, SEL-R 8.15, SEL 15.75, SEL-T 10.75
Partially enclosed Lifeboats - Tender boats: TL Limo 1100, SEL-T 11.0, SEL-T 11.7, SEL-T 12.3, SEL-T 14.0, SEL-T 14.7, SEL-T 15.75, PLL 1099, PLT-EVO 170
Partially enclosed Lifeboats, Tender boats and rescue boat: SEL-RT 7.7, SEL-RT 7.5, SEL-RT 8.5
Partially enclosed Life- and Crew Tender boats: SEL 11.0 (-T)
Partially enclosed Life-/Rescue-/Work-/Tender -Boats: SEL-R 7.4, SEL-R 8.5
High-performance tender NAVY RHIB: SFB 10.1
Rigid Rescue Boat: RR 4.2, RR 4.2-M, RR 4.5 ID
Rescue boat: RIR 625 ID
Fast Rigid Rescue Boat: FR (I) R 6.1, FR (I) R 6.1 ID, FRR 6.2 ID, FRR 6.5 ID-SF, FRR 6.6 ID, FRR 7.0 ID-SF, FRIR 6.25, FRR 7.0
Freefall Lifeboat Release Mechanism: FFRU 6.6
Offload rescue boat hook: FOH 27, FOH 30, FOH 70
Onload release gear: Duplex 25E2, Duplex 2.5E, 2.5T, Duplex 50E2, Duplex 5.0E, 5.0T, Duplex 60E2, Duplex 6.6E, Duplex 10E, 10T, Duplex 140E2, Duplex 14E, 14T, Duplex 17E, 17T, Duplex 180E2, Duplex 230E2, Duplex 23E, 23T
Fassmer Hydraulic davit: FHD 80, FHD 100, FHD 120, FHD 130, FHD 150, FHD 170, FHD 172, FHD 280, FHD 450
Hinged Davit: FHDY 100
Pivot davit: FPD 55, FPD 60, FPD 100, FPD 80, FPD 120, FPD 150, FPD 170, FFD D60
Freefall davit: FFH 45, FFH 65, FFH 49, FFH 50, FFH 60, FFH 66, FFH 70, FFH 72, FFH 75, FFH 77, FFH 80, FFH 83, FFH 85, FFH 90
Freefall Ramp: FLR 49, FLR 66, FLR 8005, FLR 8006, FLR 8007
Multi Pivot Davit: FMPD 100, FMPD 130, FMPD 150, FMPD 160
Outrigger davit: FOD 100, FOD 120, FOD 130, FOD 150, FOD 170, FOD 190, FOD 40R, FOD 50, FOD 55, FOD 80, FOD LBC 300, FOD SAR 40, FOD-R 22, FOD-R 23, FOD-R 25, FOD-R 40, FOD TC 450
Rescue boat davit: FOSV 71, FSAH 22
Rescue boat crane: FSAH 28, FSAH 32, FSAR12/3.5, FSAR 14/2.9, FSAR 14/3.5, FSAR 21/4.0, FSAR 21/4.5, FSAR 22/4.5, FSAR 28, FSAR 40
Rescue boat/Liferaft Crane: FSARR 14/3.5, FSARR 21/3.8, FSARR 21/4.0, FSARR 21/4.3, FSARR 22/4.0
FRC crane: PRHE 30
Fassmer Winch: DEW 40, DEW 85, DEW 2000
Fassmer Winch/ rescue boat crane: DEW 8, FWD 40 RB, DEW 150
Fassmer Freefall Winch: FFWH

- WUXI XINGSHENG GEAR CASE FACTORY /
Type of Release Hook :XS series 15KN, 21KN, 23KN, 25KN, 35KN

Endorse

APPENDIX I

No. : HDOLS-0044-25

- ZHEJIANG WANTONG HEAVY INDUSTRY CO., LTD. /
Lifeboat Series : BJ, BCC, BCF, BCFC, BCFF
Rescue Boat Series : GJ, FRH, RH
Release Mechanism Series : HK
Davit Series : FH, SA, HDC, LFR, LR, HE, PD, SRH, LB, KN
Winch Series : DZB, D, DW, IYJ, DZJ, YSJ, DSJ

- VIKING-NORSAFE(JIANGYIN-JORGENSEN &amp ; VIK-WATERCRAFT HELLAS) /
RB/FRC/LIFERAFT DAVIT : NDA, NDC, NDSC, NRB, NRC
WINCH : NW-NO, NW, NWR
LIFEBOAT DAVIT : A, C, D, E, GRA, H, LH, LHD, ND-SPG, NDC-L, SPGL
RESCUE BOAT/FRC : GRP1, MAGNUM, MAKO, MATRIX, MERLIN, MIDGET, MOB, RIB-450, RIB-500, WHFRB
FREEFALL DAVIT : H, HD, SW
RELEASE GEAR : 1.6T on-load/off-load, DIB, HK,HRS, K4, NFFH, NLH, RCH, TOR
FREEFALL LIFEBOAT : GES
CONVENTIONAL LIFEBOAT : 11.5 PE, 8.5PE, EVOLUTION, JYN, MAGGIE, MARIA, MATHILDA, MAUD, MAXIMA, MINA, MINIMA, MIRIAM, MKV, WATERCRAFT 378

- GURDESAN Gemi Mak. San. Ve Tic. A.S /
Rescue Boat and Liferaft Davit:
GD.RRS 15/3,5
GD.RRS 15/3,5A
GD.RRS 21/4.0
GD.RRS 25/4.0
GD.RRS 25A, GD.RRS 64A, GD.RRS 64B.
GD.HBMA.30/50
GD.HBMK.30/5-6-7-8
GD.HBMK.40/5-6-7-8
GD.HBMK.50/5-6-7-8
Rescue Boat and Liferaft Hose Handling Crane:
GD.KHK 20/4-5-6-7-8-9-10 , GD.KHK 30/6.5,
GD.KHK 60/13.5.
Side Launching Davit:
GD.GR 20, GD.GR 25, GD.GR 40, GD.GR 43.
Accommodation Ladder:
GD.HBMA 30/50, GD.HBMK 30/5-6-7-8,
GD.HBMK 40-5-6-7-8, GD.HBMK 50/5-6-7-8.
Freefall Davit:

Endorse

APPENDIX I

No. : HDOLS-0044-25

GD.FFD 10C, GD.FFD 12, GD.FFD 12Y, GD.FFD 15A,
GD.FFD 18, GD.FFD 19, GD.FFD 19A, GD.FFD 19C,
GD.FFD 19E, GD.FFD 20Y, GD.FFD 21, GD.FFD 21Y,
GD.FFD 22, GD.FFD 22Y, GD.FFD 25, GD.FFD 25A,
GD.FFD 25B, GD.FFD 25C, GD.FFD 20, GD.FFD 20B,
GD.FFD 26, GD.FFD 28, GD.FFD 35.

- HATECKE SERVICE Gmbh /
(Fast) Rescue Boat : RB AB, RB AB Duplex, RB AB FH, RB IB, RB/FRB AB FH, RB/FRB IB
Launching appliances : FFA, FFA LP, FFB, Gsp.FLH, Gsp.O, Gsp.FP, W07/10/26
Lifeboats : GFF, GFF-T, GSAR, GSL, GSL-T
Release Gear : Duplex 2.6, Duplex 3.0, Duplex 3.5, Duplex 4.3/4.6, Duplex 6.0, GFF-R-10, GFF-R-11, GFF-R-8, RAFTI 2.5, Simplex 2.0 Off-Load, Simplex 2.0 to, Simplex 2.0i, Simplex 3.0, Simplex 4.3, Simplex 6.0.

Reference

Endorse

APPENDIX I

No. : HDOLS-0044-25

Company :

Address :

Tel :

Fax :

E-mail :

Country :

City :

KR-Branch :

Reference