CERTIFICATE OF APPROVAL OF SERVICE SUPPLIER

No. : HDOLS-0050-25

This is to certify that

NOVAMARINE A DIVISION OF NOVATECH PTY LTD

Address : 96 Marine Drive Paarden Eiland Cape Town.

is approved as a service supplier to provide the following service under Guidance for Approval of Service Suppliers and the relevant requirement of the society rule.

Scope of service

The servicing Inflatable liferafts, Inflatable lifejackets
Maintenance, thorough examination, operational testing, overhaul and repair of
Lifeboats, Rescue boats, Launching appliances, Release gear

This certificate is valid until **2028.06.02**

Issued at **Busan** on **2025.06.03**

See the appendix for details regarding manufacturer authorizations, etc

KOREAN REGISTER

General Manager of
Survey Team

TERMS AND CONDITIONS

A. The Responsibility and Duty of the Registered Company

(1) The operator who carries out the service shall possess the appropriate license issued by the Government or have equivalent qualifications.
(2) The registered company shall be responsible for ensuring the safety of the operator from any danger which can arise during operation.
(3) The registered company shall check the equipment to ensure the proper functioning of the equipment before operation.
(4) The registered company, if necessary, shall have the equipment calibrated by authorized organizations in order to maintain the required accuracy within the period prescribed in the standard, and have the contents recorded and maintained.
(5) The registered company shall keep a copy of the service report submitted to this Society and applicant for at least 5 years.
(6) The registered company shall notify this society immediately of any alterations of the condition at the time of the approval, including changes of staff and of any entries on this certificate.

B. Confidentiality

The detail information acquired during the job shall not be disclosed or released to third party without permission of the applicant or this Society.

C. Scope and Limitation

The extent of engagement is limited to the scope stated on this Certificate unless attached otherwise.

D. Renewal of the Approval

Renewal audit should be carried out within 3 months before the expiry date of Certificate. However, the validity of new Certificate will be started from the next day of expiry date of previous Certificate.

E. Cancellation of Approval

The approval may be cancelled in cases:
(1) Where the service provided is improperly carried out or the results are improperly reported.
(2) Where the Society's surveyor has found major deviations in the operating system of the firm.
(3) Where the supplier fails to inform of any alteration to the operation system to this Society.
(4) Where occasional audit, when deemed necessary by this Society, has not been carried out.
(5) Where wilful acts or omissions are ascertained.
(6) Where the approval fees are not paid.

APPENDIX I

No. : HDOLS-0050-25

This service supplier has been certified or licensed to service the particular makes and models of equipment listed in the appendix.

A. Manufacturer(s) of Inflatable Liferafts
- SURVITEC ZODIAC
- SHANGHAI YOULONG RUBBER PRODUCTS CO., LTD.
- SEASAFE
- SURVITEC RFD TOYO
- SURVITEC RFD
- SURVITEC DSB
- YANTAI HUAYANG LIFESAVING EQUIPMENT MANUFACTURING CO., LTD.
- LALIZAS ITALIA S.R.L(ARIMAR)

A. Manufacturer(s) of Inflatable Lifejackets
- LALIZAS

A. Manufacturer(s) of Lifeboats, Rescue boats, Launching appliances, Release gear / Type
* The service supplier has been certified or licensed to conduct maintenance, thorough examination, operational testing, overhaul and repair for the particular makes and models of equipment, as follow, in accordance with Res.MSC.402(96)

- JIANGYIN WOLONG F.R.P BOAT CO., LTD /
Totally Enclosed Lifeboat : JY50C/F, JY50CA/FA, JY57C/F, JY60C/E/F, JY65C/F, JY70C/F, JY80C/F, JY80CA/FA, JY85C/F, JY85CA/FA, JY85CB/FB, JY93C/F, JY102C/F, JY117C/F
Free Fall Lifeboat : JY49CF/FF, JY59CF/FF, JY67CF/FF, JY85CF/FF, JY109CF/FF
Rescue boat : JY40KR, JY42KR, JY45DR, JY45KR, JY50R, JY54KR, JY60KR, JY65KR, JY75KR, JY85KR
Partially Enclosed Lifeboat : JY70P, JY80P, JY85P
Open Type Lifeboat: JY45KR, JY55K, JY65K, JY70K, JY75K, JY80K, JY85K
Gravity Luffing Arm Type Davit : JY-LE14, JY-LE65, JY-LE85, JY-LE100, JY-LE150
Launching Appliances of Free-fall Lifeboat : JY-FH55, JY-FH70, JY-FH90, JY-FH155
Platform Davit : JY-PL70, JY-PL110, JY-PL150, JY-PL185, JY-PL215
Single Arm Boat / Raft Davit : JY-SAF21, JY-SAF23, JY-SA23S, JY-SA37S, JY-SR33S, JY-SAF33, JY-HSR23/16, JY-HSR33/23, JY-FCR2066, JY-FCR2305
Rescue Boat Davit : JY-PLR21, JY-LFR27, JY-LRHE18, JY-LRHE30, JY-LRHE70, JY-LFR35, JY-SAP14, JY-SAP30
Gravity overhead rolling type Davit :JY-HE70, JY-HE95, JY-HE120, JY-HE155
Telescopic Boom Type Davit : JY-TBD120, JY-TBD215, JY-TBD35
Hydraulic Luffing Arm Type Davit : JY-GYE70, JY-GYE120, JY-GYE185
Connecting Rod Type Davit : JY-GL70, JY-GL95, JY-GL120, JY-GL185
Crane/Raft Davit : JY-FCR23KN-5M, JY-FCR2066, JY-FCR3066, JY-FCR2385, JY-FCR3510

Endorse

APPENDIX I

No. : HDOLS-0050-25

Winch : JY-SAP14, JY-D23Z, JY-D23/16Z, JY-SAFC23, JY-D33/23Z, JY-SAF33, JY-LREH30, JY-PLR21, JY-LFR27, JY-LRHE70, JY-D50S/Z, JY-D70S/Z, JY-D85S/Z, JY-D110S/Z, JY-DW125S, JY-DP110S/Z, JY-DP150/Z, JY-DP185, JY-DP215
Release Mechanism of Lifeboat/Rescue boat : HK40, HK40A, HK50B, HK50A, FHK70, HK70, HK115, LB60MR, LB80MR, LB120MR, FHK80, FHK90, LB35MRS, LB70MRS

- VANGUARDE PTE LTD. /
Lifeboat &amp ; Rescue boat : VG/VG-FF/FC/KR/DB/DRS/DR4/HLB/HLBLR/FPK/FRW
Hook(LRRS) : C-SAFE/SPEARHEAD/HK/SHF
Davit : LVD/PL/A/PLR/SRH/LR/VAE/VL/VL-G/VS/VF/HSD
Winch : DW/D/DW/S/SLR/DWP/HW/PRH/VW/S/VW/Z

- ORIENTAL INSPECTION &amp ; SERVICE CO., LTD(Oriental Precision and Engineering Co., Ltd.) /
* HINGED GRAVITY TYPE DAVIT and WINCH :
DAVIT : HGD SERIES, HGK SERIES SHS SERIES,
RTD SERIES, DHA SERIES, DMA SERIES
WINCH : BWE SERIES, SWE SERIES, WL SERIES
* FREE FALL DAVIT * WINCH : FD SERIES, WL SERIES
* RESCUE / LIFERAFT DAVIT and WINCH : RD SERIES, RDW SERIES

- JIANGYINSHI BEIHAI LSA CO., LTD. /
BOAT : SERIES OF SC, JYB
HOOK : SERIES OF JYBHK
DAVIT: SERIES OF SM, SAC, SA, FA, LB, LA, BHGH, PD, FRH, EHRD, SRH, BHGP, RB, HB, HDC, ESAD
Winch: SERIES OF D,DW,HW,JYBW,FFW

- HATECKE SERVICE Gmbh /
(Fast) Rescue Boat : RB AB, RB AB Duplex, RB AB FH, RB IB, RB/FRB AB FH, RB/FRB IB, RB/FRB IB DUPLEX
Launching appliances : FFA, FFA LP, FFB, Gsp.FLH, Gsp.O, Gsp.FP, W07/10/26
Lifeboats : GFF, GFF-T, GSAR, GSL, GSL-T
Release Gear : Duplex 2.6, Duplex 3.0, Duplex 3.5, Duplex 4.3/4.6, Duplex 6.0, GFF-R-10, GFF-R-11, GFF-R-8, RAFTI 2.5, Simplex 2.0 Off-Load, Simplex 2.0 to, Simplex 2.0i, Simplex 3.0, Simplex 4.3, Simplex 6.0.

- FASSMER SERVICE GMBH &amp ; CO. KG /
Davit launched totally enclosed Lifeboats: GMR 5.9, TGMR 5.9 Tanker Version, GMR 6.5, TGMR 6.5 Tanker Version, GMR 7.4, TGMR 7.4 Tanker Version, GMR 8.3, TGMR 8.3 Tanker Version, CLR-C 5.9, CLR-T 5.9 Tanker Version, CLR-C 6.4, CLR-T 6.4 Tanker Version, CLR-C 6.8, V Tanker Version, CLR-C 7.2, CLR-T 7.2 Tanker Version, CLR-C 7.6, CLR-T 7.6 Tanker Version, CLR-C 8.1, CLR-T 8.1 Tanker

Endorse

APPENDIX I

No. : HDOLS-0050-25

Version, CLR-C 8.5, CLR-T 8.5 Tanker Version, CL-C 8.9 , CL-T 8.9 Tanker Version, CL-C 9.4, CL-T 9.4 Tanker Version, CL-C 9.8, CL-T 9.8 Tanker Version, CL-C 10.2, CL-T 10.2 Tanker Version, CL-C 10.7, CL-T 10.7 Tanker Version, CL-C 11.1, CL-T 11.1 Tanker Version, CL-C 11.5, CL-T 11.5 Tanker Version, CL-C 11.9, CL-T 11.9 Tanker Version, CL-C 12.4, CL-T 12.4 Tanker Version, CL-C 12.8, CL-T 12.8 Tanker Version, CL-C 13.2, CL-T 13.2 Tanker Version, CLX (R) 8.5, CLX 10.0, CLX 11.7, CLX 12.8
Freefall lifeboat: CFL 4.9, CFL-T 4.9 Tanker Version, GAR 6.0, GAR-T 6.0 Tanker Version, GAR 6.8, GAR-T 6.8 Tanker Version, GAR 6.7, GAR-T 6.7 Tanker Version, GAR 7.4, GAR-T 7.4 Tanker Version, GAR 8.1, GAR-T 8.1 Tanker Version, GAR 7.7, GAR-T 7.7 Tanker Version, GAR 8.5, GAR-T 8.5 Tanker Version, CFL-C 66, CFL-T 66 Tanker Version, CFL-C 72, CFL-T 72 Tanker Version, CFL-C 77, CFL-T 77 Tanker Version, CFL-C 83, CFL-T 83 Tanker Version
Partially enclosed Lifeboats: CL-P 5.9, CL-P 6.4, CL-P 6.8, CL-P 7.2, CL-P 7.6, CL-P 8.1, CL-P 8.5, CL-P 8.9, CL-P 9.4, CL-P 9.8, CL-P 10.2, CL-P 10.7, CL-P 11.1, CL-P 11.5, CL-P 11.9, CL-P 12.4, CL-P 12.8, CL-P 13.2, SEL 8.15, SEL 8.8, SEL 9.6, SEL 10.5, SEL 10.55, SEL 11.80, SEL 12.5, SEL-R 8.15, SEL 15.75, SEL-T 10.75
Partially enclosed Lifeboats - Tender boats: TL Limo 1100, SEL-T 11.0, SEL-T 11.7, SEL-T 12.3, SEL-T 14.0, SEL-T 14.7, SEL-T 15.75, PLL 1099, PLT-EVO 170
Partially enclosed Lifeboats, Tender boats and rescue boat: SEL-RT 7.7, SEL-RT 7.5, SEL-RT 8.5
Partially enclosed Life- and Crew Tender boats: SEL 11.0 (-T)
Partially enclosed Life-/Rescue-/Work-/Tender -Boats: SEL-R 7.4, SEL-R 8.5
High-performance tender NAVY RHIB: SFB 10.1
Rigid Rescue Boat: RR 4.2, RR 4.2-M, RR 4.5 ID
Rescue boat: RIR 625 ID
Fast Rigid Rescue Boat: FR (I) R 6.1, FR (I) R 6.1 ID, FRR 6.2 ID, FRR 6.5 ID-SF, FRR 6.6 ID, FRR 7.0 ID-SF, FRIR 6.25, FRR 7.0
Freefall Lifeboat Release Mechanism: FFRU 6.6
Offload rescue boat hook: FOH 27, FOH 30, FOH 70
Onload release gear: Duplex 25E2, Duplex 2.5E, 2.5T, Duplex 50E2, Duplex 5.0E, 5.0T, Duplex 60E2, Duplex 6.6E, Duplex 10E, 10T, Duplex 140E2, Duplex 14E, 14T, Duplex 17E, 17T, Duplex 180E2, Duplex 230E2, Duplex 23E, 23T
Fassmer Hydraulic davit: FHD 80, FHD 100, FHD 120, FHD 130, FHD 150, FHD 170, FHD 172, FHD 280, FHD 450
Hinged Davit: FHDY 100
Pivot davit: FPD 55, FPD 60, FPD 100, FPD 80, FPD 120, FPD 150, FPD 170, FFD D60
Freefall davit: FFH 45, FFH 65, FFH 49, FFH 50, FFH 60, FFH 66, FFH 70, FFH 72, FFH 75, FFH 77, FFH 80, FFH 83, FFH 85, FFH 90
Freefall Ramp: FLR 49, FLR 66, FLR 8005, FLR 8006, FLR 8007
Multi Pivot Davit: FMPD 100, FMPD 130, FMPD 150, FMPD 160
Outrigger davit: FOD 100, FOD 120, FOD 130, FOD 150, FOD 170, FOD 190, FOD 40R, FOD 50, FOD 55, FOD 80, FOD LBC 300, FOD SAR 40, FOD-R 22, FOD-R 23, FOD-R 25, FOD-R 40, FOD TC 450
Rescue boat davit: FOSV 71, FSAH 22

Endorse

APPENDIX I

No. : HDOLS-0050-25

Rescue boat crane: FSAH 28, FSAH 32, FSAR12/3.5, FSAR 14/2.9, FSAR 14/3.5, FSAR 21/4.0, FSAR 21/4.5, FSAR 22/4.5, FSAR 28, FSAR 40
Rescue boat/Liferaft Crane: FSARR 14/3.5, FSARR 21/3.8, FSARR 21/4.0, FSARR 21/4.3, FSARR 22/4.0
FRC crane: PRHE 30
Fassmer Winch: DEW 40, DEW 85, DEW 2000
Fassmer Winch/ rescue boat crane: DEW 8, FWD 40 RB, DEW 150
Fassmer Freefall Winch: FFWH

- CRALOG /
"The technicians below have been confirmed to be trained by CRALOG ACADEMY. so, it is possible to perform servicing as CRALOG ' s subcontractors with an employment order issued by CRALOG. but,Owners, managers and service suppliers shall confirm with their flag administrations if any additional or special requirement apply."

(Certified personnel)
Name : Franklin Clive Riddles
ID no. : 503

(Certified personnel)
Name : Petrus Johannes Botes
ID no. : 445

Refer to

Endorse

APPENDIX I

No. : HDOLS-0050-25

Company :

Address :

Tel :

Fax :

E-mail :

Country :

City :

KR-Branch :

Reference