CERTIFICATE OF APPROVAL OF SERVICE SUPPLIER

No. : HDOLS-0050-26

This is to certify that

INDUSTRIA DE PREVENCION CANARIA SLU

Address : C/ Fonseca, 10 38320 La Laguna–Tenerife Spain

is approved as a service supplier to provide the following service under Guidance for Approval of Service Suppliers and the relevant requirement of the society rule.

Scope of service

The servicing Inflatable liferafts, Inflatable lifejackets, Marine Evacuation System Maintenance, thorough examination, operational testing, overhaul and repair of Lifeboats, Rescue boats, Launching appliances, Release gear

This certificate is valid until **2029.04.26**

Issued at **Busan** on **2026.05.27**

See the appendix for details regarding manufacturer authorizations, etc

KOREAN REGISTER

General Manager of
Survey Team

TERMS AND CONDITIONS

A. The Responsibility and Duty of the Registered Company

(1) The operator who carries out the service shall possess the appropriate license issued by the Government or have equivalent qualifications.
(2) The registered company shall be responsible for ensuring the safety of the operator from any danger which can arise during operation.
(3) The registered company shall check the equipment to ensure the proper functioning of the equipment before operation.
(4) The registered company, if necessary, shall have the equipment calibrated by authorized organizations in order to maintain the required accuracy within the period prescribed in the standard, and have the contents recorded and maintained.
(5) The registered company shall keep a copy of the service report submitted to this Society and applicant for at least 5 years.
(6) The registered company shall notify this society immediately of any alterations of the condition at the time of the approval, including changes of staff and of any entries on this certificate.

B. Confidentiality

The detail information acquired during the job shall not be disclosed or released to third party without permission of the applicant or this Society.

C. Scope and Limitation

The extent of engagement is limited to the scope stated on this Certificate unless attached otherwise.

D. Renewal of the Approval

Renewal audit should be carried out within 3 months before the expiry date of Certificate. However, the validity of new Certificate will be started from the next day of expiry date of previous Certificate.

E. Cancellation of Approval

The approval may be cancelled in cases:
(1) Where the service provided is improperly carried out or the results are improperly reported.
(2) Where the Society's surveyor has found major deviations in the operating system of the firm.
(3) Where the supplier fails to inform of any alteration to the operation system to this Society.
(4) Where occasional audit, when deemed necessary by this Society, has not been carried out.
(5) Where wilful acts or omissions are ascertained.
(6) Where the approval fees are not paid.

APPENDIX I

No. : HDOLS-0050-26

A) This certificate applies to the following work shop of INDUSTRIA DE PREVENCION CANARIA SLU (INPRECASA)
Area portuaria de Las Palmas address: 35008 Las Palmas de Gran Canaria

B) This service supplier has been certified or licensed to service the particular makes and models of equipment listed in the appendix.

A. Manufacturer(s) of Inflatable Liferafts
- LIFERAFT SYSTEMS AUSTRALIA
- VIKING LIFE-SAVING EQUIPMENT A/S
- OCEAN SAFETY
- ARIMAR
- NEPTUNO
- PLASTIMO
- SEAWOLF
- SEAGO
- ZODIAC NAUTIC
- TRIDENTE S.L.(CRV, SAFINDO)
- SURVITEC(DSB, EV, RFD, CREWAVER, ZODIAC)
- JIANGSU HAINING MARINE EQUIPMENT CO., LTD.
- LALIZAS

B. Manufacturer(s) of Inflatable Lifejackets
- PLASTIMO
- VIKING LIFE-SAVING EQUIPMENT A/S
- LALIZAS
- OCEAN SAFETY

C. Manufacturer(s) of MES(Marine Evacuation System)
- VIKING LIFE-SAVING EQUIPMENT A/S
- LIFERAFT SYSTEMS AUSTRALIA

D. Manufacturer(s) of Lifeboats, Rescue boats, Launching appliances, Release gear / Type
* The service supplier has been certified or licensed to perform maintenance, thorough examination, operational testing, overhaul and repair for the particular makes and models of equipment in accordance with Res.MSC 402(96).

- FASSMER SERVICE GMBH AND CO. KG /
Davit launched totally enclosed lifeboat :
GMR 5.9/6.5/7.4/8.3, TGMR 5.9/6.5/7.4/8.3, CLR-C 5.9/6.4/6.8/7.2/7.6/8.1/8.5,

Endorse

Specimen

APPENDIX I

No. : HDOLS-0050-26

CLR-T 5.9/6.4/6.8/7.2/7.6/8.1/8.5,
CL-C 8.9/9.4/9.8/10.2/10.7/11.1/11.5/11.9/12.4/12.8/13.2,
CL-T 8.9/9.4/9.8/10.2/10.7/11.1/11.5/11.9/12.4/12.8/13.2,
CLX (R)8.5/10.0/11.7/12.8
Freefall Lifeboat :
CFL 4.9/-T4.9, GAR6.0/-T6.0/6.8/-T6.8/6.7/-T6.7/7.4/-T7.4/8.1/-T8.1/7.7/-T7.7/8.5/-T8.5, CFL-C66/72/77/83, CFL-T66/72/77/83
Partially enclosed Lifeboats :
CL-P 5.9/6.4/6.8/7.2/7.6/8.1/8.5/8.9/9.4/9.8/10.2/10.7/11.1/11.5/11.9/12.4/12.8/13.2, SEL8.15/8.8/9.6/10.5/10.55/11.80/12.5/15.75, SEL-R 8.15, SEL-T 10.75
Partially enclosed Lifeboats - Tenderboat :
TL Limo 1100, SEL-T 11.0/11.7/12.3/14.0/14.7/15.75, PLL 1099, PLT-EVO 170
Partially enclosed lifeboats, Tenderboat and rescue boat : SEL-RT 7.7/7.5/8.5
Partially enclosed Life-and Crew Tenderboat : SEL 11.0 (-T)
Partially enclosed Life-/Rescue-/Work-/Tenderboat : SEL-R 7.4/8.5
Rigid Rescue boat : RR 4.2/4.2-M/4.5ID
Rescue boat : RIR 625ID
Fast Rigid Rescue boat :
FR (I)R6.1/6.1ID, FRR 6.2 ID/6.5ID-SF/6.6ID/7.0ID-SF/7.0, FRIR 6.25
Freefall Lifeboat Release Mechanism : FFRU 6.6
Offload rescue boat hook : FOH 27/30/70
On load release gear :
Duplex 25E2/2.5E/50E2/5.0E/60E2/6.6E/10E/140E2/14E/17E/180E2/230E2/23E/260E2 ; fsaww 5.0T/10T/14T/17T/23T
Fassmer Hydraulic Davit : FHD 80/100/120/130/150/170/172/280/450
Hinged Davit : FHDY 100
Freefall Davit : FFH 45/65
Pivot davit : FPD 55/60/100/80/120/150/170/FFD D60
Freefall Davit : FFH 49/50/60/66/70/72/75/77/80/83/85/90
Freefall ramp : FLR49/66/8005/8006/8007
Multi Pivot Davit : FMPD 100/130/150/160
Outrigger davit :
FOD 100/120/130/150/170/190/40R/50/55/80/LBC 300/SAR40/-R22/-R23/-R25/-R40/TC450
Rescue Boat Davit : FOSV 71, FSAH 22
Rescue Boat Crane: FSAH 28/32, FSAR 12/3.5, FSAR 14/2.9, FSAR 14/3.5, FSAR 21/4.0, FSAR21/4.5, FSAR 22/4.5, FSAR 28, FSAR40
Rescue Boat/Liferaft Crane: FSARR 14/3.5, FSARR 21/3.8, FSARR21/4.0, FSARR21/4.3, FSARR22/4.0
FRC crane : PRHE 30
Fassmer Winch : DEW 40/85/2000
Fassmer Winch/rescue boat crane : DEW 8, FWD 40RB, DEW150

Endorse

APPENDIX I

No. : HDOLS-0050-26

Fassmer Freefall Winch : FFWH

- d-i (davit international-hische GmbH) /
Crane for freefall boat : C-F series
Crane for boat handling : C-S series
Free-fall davit only : D-F series (freefall only)
Free-fall davit : D-TF series, D-FH/FG series
Roller track davit : D-RT series (roller track davit only)
Fixed offshore davit : D-FO series
Normal pivot davit : D-NP series excl. D-NP,MP and D-NP.SP series
Boat davit : D-BC series, D-BR series
Rescue boat davit : D-CL series, D-CR series, D-NPS.SP series, D-SR series
Raft handling davit : D-RC series, D-RB series
Rescue boat hook : RH series, OLH series
Liferaft hook : OLRH series
Sezamor / Liferaft hook : HS series
Palfinger / Liferaft/Rescue boat hook : ARH and CAR series
T-ISS / Liferaft/Rescue boat hook : PX series

- HATECKE SERVICE Gmbh /
Fast Rescue Boat: RB AB, RB AB Duplex, RB ABR, RB IB, RB/FRB AB FH
Launching Appliance: FFA, FFA LP, FFB, GSR, GSL, Gsp.O, GSP, W07, W10, W26
Lifeboat: GFF, GFF-T, GSAR, GSL, GSL-T
Release Gear: Duplex 2.6, Duplex 3.0, Duplex 3.5, Duplex 4.3/4.6, Duplex 6.0, GFF-R-10, GFF-R-18, GFF-R-8, RAFT 2.5, Simplex 2.0 Off-load, Simplex 2.0, Simplex 2.0i, Simplex 3.0, Simplex 4.3, Simplex 6.0

GLOBAL DAVIT GMBH /
Launching and recovery appliances for single point suspended life-saving crafts ; Type code: X1X2X3.x4.x5.x6
X1 = F/L/R, X2 = g/h/m, X3 = p/s/t, x4-x6 are the options in case of a multi purpose system and can be: L/R/S
Launching and recovery appliances for double point suspended life-saving crafts ; Type code: X1xx2XX3.x4
X1 = G, xx2 = sp/lp, XX3 = FP/FL/MP/RT/TT, x4 = h
Winches for launching and recovery of life saving appliances ; Type code: X1NN1X2
X1 = W, NN1 = output torque in kNm, X2 = HC/L/R/M/E
Release gears for liferaft and/or rescue boat handling: HRN.12, HRN.28, HRL.26

- HLB(ex. Hyundai Lifeboats) Co., Ltd. /

Endorse

APPENDIX I

No. : HDOLS-0050-26

Lifeboat and Rescue Boat : Series of HD, HT, HDL, HLB, HDF, HDFL, HDFN:HDR &amp ; HDFR
Release Mechanism : Series of THP, Talon and Talon II

- BADA Heavy Industries(ex. D.R.M)Co., Ltd. /
Davit: Series of DRM, DRBD, BDH, BDTD, BDHP, BDTW, BDRW, BDM, BFOD
Series of FF, HDFL, HDF, BDF, BDFD, BDR, BDH, BDA, BDFA, BDL, BDR, BLR&amp ; BHI
Winch: Series of DRM, DRBW, HLDF, BAW, BDF, BDFD, HDFL, HDF, BHI, BLR, BLW, BMW, BRW, BWL, BWR, FHW
Release Mechanism: Series of BDR, BHA &amp ; BHR

- JIANGSU JIAOYAN MARINE EQUIPMENT CO.,LTD. (ex. Jiangyin Xinjiang F.R.P. Co., Ltd.) /
Free Fall lifeboat : JY-FN-4.9, JY-FF-4.9, JY-FN-5.8, JY-FF-5.8, JYM-FN-6.65, JYM-FF-6.65, JY-FN-6.8, JY-FF-6.8, JY-FN-7.5, JY-FF-7.5, JY-FN-8.5, JY-FF-8.5, JY-FN/FF-9.5
Rescue Type : GJ4.2, GJ4.25, GJ4.5, GJ5.0, GJ5.25, GJ6.0B-1, GJ6.10, GJ7.50, GJ8.0Q-2, GJ8.5Q-2
Totally enclosed lifeboat : JY-QFP/N-5.0, JY-QFP/N5.25, JY-QFP/N-5.6, JY-QFP/N6.0A, JY-QFP/N-6.50, JY-QFP/N-7.0, JY-QFP/N-7.5, JY-QFP/N-7.50A, JY-QFP/N-8.00, JY-QFP/N-8.50, JY-QFP/N-8.50X, JY-QFP/N-9.35, JY-QFP/N-10.90A
Hook : JX AND JXN Series
Gravity luffing arm type davit : JYL52, JYL55, JYL65, JYL68, JYL85, JYL105, JYL135
Launching appliance : JYF55, JYF75, JYF75-A, JYF75-B, JYF90
Platform davit : JYP65, JYP85, JYP105, JYP135
Single arm davit : JYR21, JYR21S-A, JYRC21, JYR14, JYRH14, JYRH21, JYR26, JYR30, JYR23
Electric boat winch : FW45, JYW42, JYW50, JYW70, JYW100, JYWP70, JYWP100, JYWP135, JYW 35, JYRZ21

- BOATBUILDING BRANCH QINGDAO BEIHAI SHIPBUILDING HEAVY INDUSTRY CO., LTD. /
Total enclosed Lifeboat: BH-5,6,7,8,9,10 series, BH-E series
Freefall Lifeboat: BH-F series
Rescue boat: BH-R series, BH-HR series
Gravity Pivot Davit: BD-PV series, BD-AR series
Offshore Davit: BD-PL series
Single arm Davit: BD-SA series, BD-SH series, FA36, RBD966
Freefall launching Davit: BD-FF series
Winch: BW-H(L/R) series, L(L/R) series, SC series, YSB/INI/BJM hydraulic winch series
Gravity lifeboat Release Mechanism: BG-3/3S/3R/3L/7/10, BH-HOOK3/5, FS5/7/10/13
Freefall lifeboat Release Mechanism: BG-3F/3.5F/4F/4.5F/4.5FL/5F/6F
Rescue boat Release Mechanism: BG-2R, Wuxi XS series, Jimo CS series

- ORIENTAL INSPECTION &amp ; SERVICE CO., LTD.(ORIENTAL PRECISION AND ENGINEERING CO., LTD.) /

Endorse

APPENDIX I

No. : HDOLS-0050-26

* HINGED GRAVITY TYPE DAVIT and WICH :
DAVIT : HGD SERIES, HGK SERIES SHS SERIES,
RTD SERIES, DHA SERIES, DMA SERIES
WINCH : BWE SERIES, SWE SERIES, WL SERIES
* FREE FALL DAVIT * WINCH : FD SERIES, WL SERIES
* RESCUE / LIFERAFT DAVIT and WINCH : RD SERIES, RDW SERIES

- MANSEI INC. /
Davit : Series of EBD-, EM-, ABD-, AH-, AT-, AV-, EH-, ET-, EV-, M-, CM-, D-FH, DE-FH, MFE-, MFH-, SR-, SRE-, R-, S-, RD-, EHR-
Winch : Series of EBW-, ABW-, AW-, EW-, MW-, CMW-, FW-, SW-, RMW-, MLW-, ERW-, Series of 06.
Release hook : Series of RH-

- MIURA MACHINE CO., LTD.(EX. MIURA VIDER CO.,LTD.) /
Davit : Series of SP, MVD, GRA, SAR
Winch : Series of BH, BE, BA

- ZHEJIANG NORSIER LIFESAVING EQUIPMENT TECHNOLOGY CO.,LTD. /
LIFEBOATS/RESCUE BOATS : NYF&amp ; NYC / NYPF&amp ; NYPC / NYZ series
DAVITS : NLB / NSA / NFH / NHCD / SRH / NAZ / NPD series
WINCHES : N series
RELEASE MECHANISM : NHK series

- JIANGYINSHI BEIHAI LSA CO., LTD. /
BOAT: SERIES OF SC, JYB
HOOK: SERIES OF HK
DAVIT: SERIES OF SM,SAC,SA,FA,LB,LA,BHGH,PD,FRH,EHRD,SRH,BHGP,RB,HB,HDC,ESAD
WINCH: SERIES OF D,DW,HW,JYBW,FFW

- Jiangyin Wolong F.R.P Boat Co., Ltd. /
Totally Enclosed Lifeboat: JY50C/F, JY50CA/FA, JY57C/F, JY60C/E/F, JY65C/F, JY70C/F, JY80C/F, JY80CA/FA, JY85C/F, JY85CA/FA, JY85CB/FB, JY93C/F, JY102/F, JY117C/F
Free Fall Lifeboat: JY49CF/FF, JY59CF/FF, JY67CF/FF, JY85CF/FF, JY109CF/FF
Rescue Boat: JY40KR, JY42KR, JY45DR, JY45KR, JY50R, JY54KR, JY60KR, JY65KR, JY75KR, JY85KR
Partially Enclosed Lifeboat: JY70P, JY80P, JY85P
Open Type Lifeboat: JY45KR, JY55K, JY65K, JY70K, JY75K, JY80K,JY85K
Gravity Luffing Arm Type Davit: JY-LE65, JY-LE85, JY-LE100, JY-LE150
Launching Appliance of Free-Fall Lifeboat: JY-FH55, JY-FH70, JY-FH90, JY-FH155
Platform Davit: JY-PL70, JY-PL110, JY-PL150, JY-PL185, JY-PL215
Single Arm Boat/ Raft Davit: JY-SAF21, JY-SAF23, JY-SA23S, JY-SA37S, JY-SR33S, JY-SAF33, JY-HSR23

Endorse

APPENDIX I

No. : HDOLS-0050-26

/16, JYˇHSR33/23, JY-FCR2066, JY-FCR2305
Rescue Boat Davit: JY-PLR21, JY-LFR27, JY-LRHE30, JY-LRUE70, JY-LFR35, JY-SAP14, JY-SAP30
Gravity Overhead Rolling Type Davit: JY-HE70, JY-HE95, JY-HE120, JY-HE155
Telescopic Boom Type Davit: JY-TBD120, JY-TBD215, JY-TBD35
Hydraulic Luffing Arm Type Davit: JY-GYE70, JY-GYE120, JY-GYE185
Connecting Rod Type Davit: JY-GL70, JY-GL95, JY-GL120, JY-GL185
Winch: JY-SAP14, JY-D23Z, JY-D23/16Z, JY-SAFC23, JY-D33/23Z, JY-SAF33, JY-LRHE30, JY-PLR21,JY-LFR27, JY-LRHE70JY-D50S/Z, JY-D70S/Z, JY-D85S/Z, JY-D110S/Z, JY-W125S, JY-DP110S/Z, JY-DP150/Z, JY-DP185, JY-DP215
Release Mechanism of Lifeboat/Rescue Boat: HK40, HK40A, HK50B, HK50A, FHK70, HK70, HK115, LB60MR, LB80MR, LB120MR, FHK80, FHK90, LB35MRS, LB70MRS

- SANGSANGIN INDUSTY CO., LTD.
(Ex. DONGNAM MARINE CRANE Co., Ltd. and Dongnam Enterprise) /
HINGED GRAVITY TYPE (DHG-57-FM, HGW-40-FM, DHG-70-FM, HGW-52-FM, HGW-50-FM, DHG-73-FM, HGW-61-DM, DHGD-11-E2E7)
SINGLE ARM TYPE (DLRD, DRLD, DSAD, PV combined, DCHH, DPR, DNR, DRBD, DSAC,BSNKJ)
FREEFALL TYPE (FF, HDF)
DSAM 11-E2M0

- Manabe Zoki /
Davit/winch - 5000R/L, 7800R/L

- SEKIGAHARA SEISAKUSHO LTD. /
Gravity type davit : SH, SFB, SHS, STS, SSS
Fee-fall lifeboat davit : SFS, SFA, SFB, SFC, SFD
Rescue boat davit : SJS, SJR

- SHIGI SHIPBUILDING CO., LTD./
SZ series, FEL series, VOX series, GARS series, OPEN type

- TSUNEISHI FACILITIES&amp ; CRAFT CO., LTD./
Lifeboat type / Release gear type
7.32M open type / Fixed type hook
KL-6.5TE, KL-6.5FP, 43GS-1(A), 43GS-1(B), 43GS-1(C)

- Nishi-f Co., Ltd.(Ex.ISHIHARA Dockyard Co., Ltd. and Nishi-Nippon F.R.P Shipbuilding Co., Ltd.) /
G Series :
G-48ATR, G54ATR, G-63ATR, G-65BTR, G-73DTR, G-80CTR, G-90BTR, G-54AFR, G-63AFR, G-65BFR, G-73DFR, G-80CFR, G-73C

Endorse

APPENDIX I

No. : HDOLS-0050-26

ML Series :
EML-18, CML-19, CML-20, CML-21, CML-22, CML-23, CML-25, CML-27, PML-22, PML-35
CML-19S, CML-20AS, CML-21S, CML-22A, CML-23S, CML-25AS, CML-27AS, DML-73, DML-73S
F Series : FF-65, FF-65S, FF-72, FF-72S, F-43, NF-73A, NF-75
Release Gear: IHM series: IHM-12, IHM-12B, IHM-13 ; NS series: NS-2, NS-2.5, NS-3 ; CSR series: SR-1, SR-3,(SRS-37), SR-4, SR-6 ; FF series: FF-H6T, FF-H7T

- LALIZAS /
Release Hook LAR 36

- VANGURDE MARINE LDA /
Vanguard Marine 420RB SOLAS
Vanguard Marine 450RB SOLAS
Vanguard Marine 620RB SOLAS
Vanguard Marine FRB620 SOLAS

- Viking-Norsafe (Jiangyin-Jorgensen &amp ; Vik-Watercraft Hellas) /
RB/FRC/Liferaft Davit : NDA, NDC, NDSC, NRB, NRC
Winch : NW-NO, NW, NWR
Lifeboat Davit : A, C, D, E, GRA, H, LH, LHD, ND-SPG, NDC-L, SPGL
Rescue Boat /FRC : GRP1, Magnum, Mako, MARATHON, Matrix, Maya, Merlin, METIS, Midget, MOB, Munin, RIB-450, RIB-500, WHFRB
Freefall Davit : H, HD, SW
Release Gear : 1.6T on-load/off-load, DIB, HK, HRS, K4, NFFH, NLH, RCH, TOR
Freefall Lifeboat : GES
Conventional Lifeboat : 11.5 PE, 8.5 PE, Evolution, JYN, Maggie, Maria, Mathilda, Maud, Maxima, Mina, Minima, Miriam, MKV, Watercraft 378

- CSSC LUZHOU ZHENJIANG MARINE AUXILIARY MACINERY CO, LTD. /
Gravity davit: LE45-1/LE55-1/LE65-1/LE85-1/LE100-1/LE138-1/
LE170-1/HE65/HE85/HE100/HE138/H170/RE50/RE60/RE80/RE100/SRH65/SRH85/SRH100
/SRH120/SRH150/SRH170/SRH200/SRH230/GL65/GL85/GL110/GL138/GL165/TG65/TG85/TG110/
TG150/TG170/TG200/TG230/HT80/HT100/HT150/HT210/LC400/RC60-EB
Launching appliance davit: FH55/FH70/FH75/FH85/FH100
Single arm davit and crane: SAF14/SAFC21/SAFC25/SA32/HDCL2-6.5/HDCL3-6/HDCL3-10/LA25/LA35
/SH-21/DH30
Off-Shore davit: PL65/PL85/PL100/PL110/PL120/PL138/PL150/PL180/PL200/PL230
Fastrescue boat davit: LFR30/LFR35/LFR35/LFRH30/LFR50/LFRH60/DH30/SAWH30/SAWH45/
SAWH60
Boat Winch: D21KN/D25KN/D32KN/D35KN/D48KN/D63KN/D65KN/D80KN/D100KN/D120KN,

Endorse

APPENDIX I

No. : HDOLS-0050-26

DP65KN/DP70KN/DP85KN/DP100KN/DP110KN/DP120KN/DP138KN/DP150KN/DP180KN
Totally Enclosed Lifeboat: YH5.0QFP/YH5.0QFN/YH6.5QFP/YH6.5QFN/YH8.5QFP/YH8.5QFN/YH8.5QFP-A/YH8.5QFN-A/YH10.3QFP/YH10.3QFN/YH9.5QFP/YH9.5QFN/YH12.0QFP/YH12.0QFN/YH9.9BFP/YH12.5BFP/ZZHG-BF-12.5
Free Fall Lifeboat: YH5.9FP/YH5.9FN/YH6.7FP/YH6.7FN/YH7.5FP/YH7.5FN/YH8.5FP/YH8.5FN
Fast rescue boat: YH6.0FRA/YH6.0FRB/YH6.5FRA/YH6.5FRB
Rescue boat: YH4.5R/YH4.5DR/YH7.5
Hook: HK25/HK25B/HK40/HK40C/HK65/SH55/SH70/SH85, Handle release hook 15KN, Automatic release hook 21KN/23KN/25KN/35KN

- NARWHAL /
NARWHAL SV-400, SV-420, SV-480, SV-750 SOLAS RESCUE BOAT and NARWHAL FRB-700 SOLAS FAST RESCUE BOAT

Reference

Endorse

APPENDIX I

No. : HDOLS-0050-26

Company :

Address :

Tel :

Fax :

E-mail :

Country :

City :

KR-Branch :

Reference