CERTIFICATE OF APPROVAL OF SERVICE SUPPLIER

No. : HDOLS-0061-25

This is to certify that

INTERNAFTIKI AEBE

Address : 6, Alipedou Str. GR18531, Piraeus, Greece

is approved as a service supplier to provide the following service under Guidance for Approval of Service Suppliers and the relevant requirement of the society rule.

Scope of service

Maintenance, thorough examination, operational testing, overhaul and repair of Lifeboats, Rescue boats, Launching appliances, Release gear

This certificate is valid until **2028.04.01**

Issued at **Busan** on **2025.07.15**

See the appendix for details regarding manufacturer authorizations, etc

KOREAN REGISTER

General Manager of
Survey Team

Sample

TERMS AND CONDITIONS

A. The Responsibility and Duty of the Registered Company

(1) The operator who carries out the service shall possess the appropriate license issued by the Government or have equivalent qualifications.
(2) The registered company shall be responsible for ensuring the safety of the operator from any danger which can arise during operation.
(3) The registered company shall check the equipment to ensure the proper functioning of the equipment before operation.
(4) The registered company, if necessary, shall have the equipment calibrated by authorized organizations in order to maintain the required accuracy within the period prescribed in the standard, and have the contents recorded and maintained.
(5) The registered company shall keep a copy of the service report submitted to this Society and applicant for at least 5 years.
(6) The registered company shall notify this society immediately of any alterations of the condition at the time of the approval, including changes of staff and of any entries on this certificate.

B. Confidentiality

The detail information acquired during the job shall not be disclosed or released to third party without permission of the applicant or this Society.

C. Scope and Limitation

The extent of engagement is limited to the scope stated on this Certificate unless attached otherwise.

D. Renewal of the Approval

Renewal audit should be carried out within 3 months before the expiry date of Certificate. However, the validity of new Certificate will be started from the next day of expiry date of previous Certificate.

E. Cancellation of Approval

The approval may be cancelled in cases:
(1) Where the service provided is improperly carried out or the results are improperly reported.
(2) Where the Society's surveyor has found major deviations in the operating system of the firm.
(3) Where the supplier fails to inform of any alteration to the operation system to this Society.
(4) Where occasional audit, when deemed necessary by this Society, has not been carried out.
(5) Where wilful acts or omissions are ascertained.
(6) Where the approval fees are not paid.

APPENDIX I

No. : HDOLS-0061-25

This service supplier has been certified or licensed to service the particular makes and models of equipment listed in the appendix in accordance with Res.MSC.402(96)

A. Manufacturer(s) of Lifeboat, Rescue boat, Release gear, Launching appliances / Type

- BOATBUILDING BRANCH QINGDAO BEIHAI SHIPBUILDING HEAVY INDUSTRY CO., LTD. / * *
Lifeboat Total enclosed : BH-5,6,7,8,9,10 series, BH-E series
Lifeboat Freefall : BH-F series
Rescue : BH-R series, BH-HR series
Davit Gravity Pivot : BD-PV series, BD-AR series
Davit Offshore : BD-PL series
Davit Single arm : BD-SA series, BD-SH series, FA36, RBD966
Davit Freefall launching : BD-FF series
Winch : BW-H(L/R) series ; L(L/R) series ; SC series ; YSB/INI/BJM hydraulic winch series
Release Mechanism Gravity Lifeboat : BG-3/3R/3L/7/10 ; BH-HOOK3/5, FS5/7/10/13
Release Mechanism Freefall Lifeboat : BG-3F,3.5F,4F,4.5F,4.5FL,5F,6F
Release Mechanism Rescue boat : BG-2R,Wuxi XS series, Jimo CS series

- HLB CO., LTD (ex. Hyundai Lifeboats) and BADA HEAVY INDUSTRIES (EX. D.R.M) CO., LTD. / * *
* HLB Co., Ltd.
Lifeboat and Rescue Boat : Series of HD, HT, HDL, HLB ; HDFL, HDFN ; HDR &amp ; HDFR
Release Mechanism : Series of THP, Talon and Talon II
* BADA HI(ex, D.R.M) Co., Ltd.
Davit : Series of BDH, BDTD, BDHP, BDTW, BDRW, BDM and BFOD
Series of HDFL, HDF, BDF ; BDR, BDH, BDA, BDFA ; BDL, BDR &amp ; BHI
Winch : Series of DRM, DRBW, BAW, BDF, BHI, BLW, BMW, BRW, BWL, BWR, FHW &amp ; RLD
Release Mechanism : Series of BDR, BHA and BHR

- IKNOW MACHINERY CO., LTD.(ex. TSUJI HEAVY INDUSTRIES CO., LTD.) / * *
Series of Davit : H, T, TC
Winch : EB, TC, OAP

- JIANGSU JIAOYAN MARINE EQUIPMENT CO.,LTD. / * *
Free fall lifeboat : JY-FN-4.9/JY-FF-4.9/JY-FN-5.8/JY-FF-5.8/JYM-FN-6.65/JYM-FF-6.65/JY-FN-6.8/ JY-FF-6.8/ JY-FN-7.5/JY-FF-7.5/ JY-FN-8.5/JY-FF-8.5
Rescue boat : GJ4.2/GJ4.25/GJ4.5/GJ5.0/GJ5.25/GJ6.OB-1/GJ6.10/GJ7.50/GJ8.0Q-2/GJ8.5Q-2
Totally enclosed lifeboat : JY-QFP/N-5.0/JY-QFP/N-5.25/GTR57JYC/F/JY-QFP/N-6.OA
JY-QFP/N-6.50/JY-QFP/N-7.0/JY-QFP/N-7.5/JY-QFP/N-7.5OA/JY-QFP/N-8.00/JY-QFP/N-8.50/ JY-QFP/N-8.5OX/JY-QFP/N-9.35/JY-QFP/N-10.90A
Hook : JX and JXN Series

Endorse

APPENDIX I

No. : HDOLS-0061-25

Gravity lulling arm type davit : JYL52/JYL55/JYL65/JYL85/JYL105/JYL135
Launching appliance : JYFSS/JYF75/JYF75-B/JYF90
Platform Davit : JYP65/JYP85/JYP105/JYP135
Single arm davit : JYR21/JYR21S-A/JYRC21/JYR23/JYR14/JYRH14/JYRH21
Electric Boat Winch : : FW45/JYW42/JYW50/JYW70/JYW100/JYWP70/JYWP100/JYWP135/JYW35/ JYRZ21
LIFEBOAT TYPE : JY-BF-9.60
DAVIT TYPE : JYGR17
RESCUE BOAT DAVIT : JYH30

- ORIENTAL INSPECTION AND SERVICE CO., LTD.(Oriental Precision &amp ; Engineering Co., Ltd.) / * *
* Hinged Gravity Type Davit and Winch
Davit : HGD SERIES, HGK SERIES, SHS SERIES, RTD SERIES, DHA SERIES, DMA SERIES
Winch : BWE SERIES, SWE SERIES, WL SERIES
* Freefall Davit and Winch : FD SERIES, WL SERIES
* Rescue Boat Davit and Winch : RD SERIES, RDW SERIES

- SEKIGAHARA SEISAKUSHO LTD. / * *
Davit launching appliances : SH, SFB, SHS, STS, SSS, SFS, SFA, SFC, SFD, SJS, SJR
Winch : SNW, SWE

- SHIGI SHIPBUILDING CO., LTD. / * *
Lifeboat, Rescue Boat, Release gear: SZ, FEL, VOX, GARS, OPEN type and release Gear

- WUXI HAIHONG BOAT MAKING CO.,LTD. / * *
Totally enlosed life / rescue boat series :
HH50C / HH50T / HH53C / HH53T / HH57C / HH57T
HH65C / HH65T / HH65CS / HH65TS
HH70C / HH70T / HH75CS / HH75TS
HH75C / HH80CS / HH80TS / HH85C / HH85T / HH85CS / HH85TS
Freefall Lifeboat Series : HH59FC / HH59FF / HH76FC / HH76FF
Rescue Boat Series : GJ4.5B / GJ4.5B1
High Speed Rescue Boat : GJ1618A / GJ618B
Open Type Lifeboat : BJ-7.0
Release Gear Series : HH76/HH43/HH30/HH20

- HATECKE SERVICE Gmbh /
(Fast) Rescue Boat : RB
Launching appliances : FFA series, GspFP

Endorse

APPENDIX I

No. : HDOLS-0061-25

Lifeboats : GFF, GSAR, GSL
Release Gear : Duplex < 10t, GFF-R, Simplex

- GLOBAL DAVIT GMBH / * *
Launching and recovery appliances for single point suspended life-saving crafts ; Type code: X1X2X3.x4.x5.x6
X1 = F/L/R, X2 = g/h/m, X3 = p/s/t, x4-x6 are the options in case of a multi purpose system and can be: L/R/S
Launching and recovery appliances for double point suspended life-saving crafts ; Type code: X1xx2XX3.x4
X1 = G, xx2 = sp/lp, XX3 = FP/FL/MP/TT, x4 = h
Winches for launching and recovery of life saving appliances ; Type code: X1NN1X2
X1 = W, NN1 = output torque in kNm, X2 = HC/L/R/M/E
Release gears for liferaft and/or rescue boat handling: HRN.12, HRN.28, HRL.26

- FASSMER SERVICE /
Davit launched totally enclosed Lifeboats: GMR 5.9, TGMR 5.9, GMR 6.5, TGMR 6.5,GMR 7.4, TGMR 7.4, GMR 8.3, TGMR 8.3, CLR-C 5.9, CLR-T: 5.9, CLR-C 6.4, CLR-T 6.4, CLR-C 6.8, CLR-T 6.8, CLR-C 7.2, CLR-T 7.2, CLR-C 7.6, CLR-T 7.6, CLR-C 8.1, CLR-T 8.1, CLR-C 8.5, CLR-T 8.5, CL-C 8.9, CL-T: 8.9, CL-C 9.4, CL-T 9.4, CL-C 9.8, CL-T 9.8, CL-C 10.2, CL-T 10.2, CL-C 10.7, CL-T: 10.7, CL-C 11.1, CL-T 11.1, CL-C 11.5, CL-T 11.5, CL-C 11.9, CL-T 11.9, CL-C 12.4, CL-T 12.4, CL-C 12.8, CL-T 12.8, CL-C 13.2, CL-T 13.2, CLX (R) 8.5, CLX 10.0, CLX 11.7, CLX 12.8
Freefall Lifeboat: CFL 4.9, CFL-T 4.9, GAR 6.0 GAR-T 6.0, GAR 6.8 , GAR-T 6.8, GAR 6.7, GAT-T 6.7, GAR 7.4, GAR-T 7.4, GAR 8.1, GAR-T 8.1, GAR 7.7, GAR-T 7.7, GAR 8.5, GAR-T 8.5, CFL-C 66, CFL-T 66, CFL-C 72, CFL-T 72, CFL-C 77, CFL-T 77, CFL-C 83, CFL-T 83
Partially enclosed Lifeboats: CL-P 5.9, CL-P 6.4, CL-P 6.8, CL-P 7.2, , CL-P 7.6, CL-P 8.1, CL-P 8.5, CL-P 8.9, CL-P 9.4, CL-P 9.8, CL-P 10.2, CL-P 10.7, CL-P 11.1, CL-P 11.5, CL-P 11.9, CL-P 12.4, CL-P 12.8, CL-P 13.2, SEL 8.15, SEL 8.8, SEL 9.6, SEL 10.5, SEL 10.55, SEL 11.80, SEL 12.5, SEL-R 8.15, SEL 15.75, SEL-T 10.75
Partially enclosed Lifeboats and Tenderboats: TL Limo 1100, SEL-T 11.0, SEL-T 11.7, SEL-T 12.3, SEL-T 14.0, SEL-T 14.7, SEL-T 15.75, PLL 1099, PLT-EVO 170
Partially enclosed lifeboat, tenderboat and rescueboat: SEL-RT 7.7, SEL-RT 7.5, SEL-RT 8.5,
Partially enclosed Life- and Crew Tenderboats: SEL 11.0 (-T)
Partially enclosed Life-/Rescue-/Work-/Tender-Boats: SEL-R 7.4, SEL-R 8.5,
High-performance tender: SFB 10.1,
Rigid Rescueboat: RR 4.2, RR 4.2-M, RR 4.5 ID
Rescueboat: RIR 625 ID
Fast Rigid Rescueboat: FR (I)R 6.1, FR (I)R 6.1 ID, FRR 6.2 ID, FRR 6.5 ID-SF, FRR 6.6 ID,

Endorse

APPENDIX I

No. : HDOLS-0061-25

FRR 7.0 ID-SF, FRIR 6.25, FRR 7.0
NAVY RHIB: SFB 10.1
Freefall Lifeboat Release Mechanism: FFRU 6.6
Offload rescue boat hook: FOH 27, FOH 30, FOH 70
Onload release gear: Duplex 25E2, Duplex 2.5E, Duplex 50E2, Duplex 5.0E, Duplex 60E2, Duplex 6.6E, Duplex 10E, Duplex 140E2, Duplex 14E, Duplex 17E, Duplex 180E2, Duplex 230E2, Duplex 23E, 23T
Fassmer Hydraulic Davit: FHD 80,FHD 100,FHD 120,FHD 130,FHD 150,FHD 170,FHD 172, FHD 280, FHD 450
Hinged Davit: FHDY 100
Freefall Davit: FFH 45, FFH 65
Pivot Davit: FPD 55, FPD 60, FPD 100, FPD 80, FPD 120, FPD 150, FPD 170, FFD D60
Freefall Davit: FFH 49, FFH 50, FFH 60, FFH 66, FFH 70, FFH 72, FFH 75, , FFH 77, FFH 80, FFH 83, FFH 85, FFH 90
Freefall Ramp: FLR 49, FLR 66, FLR 8005, FLR 8006, LR 8007
Multi Pivot Davit: FMPD 100, FMPD 130, FMPD 150, FMPD 160
Outrigger davit: FOD 100,FOD 120,FOD 130,FOD 150, FOD 170, FOD 190, FOD 40R, FOD 50, FOD 55, FOD 80,FOD LBC 300, FOD SAR 40, FOD-R 22,FOD-R 23, FOD-R 25, FOD-R 40, FOD TC 450
Rescue Boat Davit: FOSV 71, FSAH 22
Rescue Boat / Liferaft Crane: FSAH 28, FSAH 32, FSAR 12/3.5, FSAR 14/2.9, FSAR 14/3.5 HS, FSARR 14/3.5, FSAR 21/4.0, FSAR 21/4.5, FSARR 21/3.8, FSARR 21/4.0, FSARR 21/4.3, FSAR 22/4.5, FSARR 22/4.0, FSAR 28, FSAR 40
FRC crane: PRHE 30
Fassmer Winch: DEW 40, DEW 85, DEW 2000
Fassmer Winch/ rescue boat crane: DEW 8, FWD 40 RB, DEW 150
Fassmer Freefall Winch: FFWH

- FASSMER-MARLAND LTD (ex. Hai Hong Boat Making Co., Ltd. (Guangzhou)) /
Davit launched totally enclosed lifeboat : DRAGON 26C/ 26T/32C/32T/38C/38T, GMR 6.5/-T6.5/7.4/-T7.4, HH57C/57T/65C/65T/70C/70T, CLR-C5.9/T5.9
Freefall lifeboat : GAR 6.7/-T6.7/7.4/-T7.4, CFL-C49(E)/T49(E)/C66(E)/T66(E)/C72(E)/T72(E)/C77(E)/T77(E)/C83(E)/T83(E)
Rigid rescue boat : RR4.2/4.2-M, RRH4.2, RR4.2 ID
Fast rigid rescue boat : FRR6.1ID/6.2ID
On load release gear : Duplex 2.5/2.5E/25E2/5.0/5.0E/50E2, HH43
Pivot davit : FPD-D60/D68/DH68, SRH70
Freefall davit : FFH49/49D/66/66D/72/77/83
Freefall ramp : FLR49/66/72
Rescue boat crane : FSAR 14/3.5HS/4.0/3.5HS/21/4.0HS/25, FSARR 14/3.5HS/21/4.0HS/22/4.0HS,

Endorse

APPENDIX I

No. : HDOLS-0061-25

FMAH 22KN, FSAR25
Winch for pivot davit : DEW 15-24/15-35/15-44, D52L/R, DW34S/Z, MW50/50C
Winch for freefall davit : FW35
Winch for rescue boat crane : DEW 150/450, RZ25
HAIHONG BOAT MAKING CO., LTD.(GUANGZHOU)
Davit launched totally enclosed lifeboat : HH57C, HH57T, HH65C, HH65T, HH70C, HH70T
Onload release gear : HH43

- SANGSANGIN INDUSTRY CO., LTD. / * *
(Ex. DONGNAM MARINE CRANE Co., Ltd. and Dongnam Enterprise) /
DH SERIES :
DHG-57-FM,HGW-40-FM,DHG70-FM,HGW-52-FM,HGW-50-FM,DHG-73-FM,HGW-61-DM,DHGD-11-E2 E7
SINGLE ARM TYPE : DLRD, DRLD, DSAD, PV combined, DCHH, DPR, DNR, DRBD, DSAC
FREEFALL TYPE DAVIT : FF, HDF

- d-i (davit international-hische GmbH, Hische GmbH, davit international GmbH, davit internationl BV) / * *
Crane for freefall boat : C-F series
Crane for boat handling : C-S series
Free-fall davit only : D-F series (freefall only)
Free-fall davit : D-TF series, D-FH/FG series
Roller track davit : D-RT series (roller track davit only)
Fixed offshore davit : D-FO series
Normal pivot davit : D-NP series excl. D-NP,MP and D-NP.SP series
Boat davit : D-BC series, D-BR series
Rescue boat davit : D-CL series, D-CR series, D-NPS.SP series, D-SR series
Raft handling davit : D-RC series, D-RB series
Rescue boat hook : RH series, OLH series
Liferaft hook : OLRH series

- MANSEI INC. / * *
Davit : Series of M, H, HR, V, T and BD ; Series of S, SR, R, RD ;
Series of FH and FE ; Series of MFR and MGR
Winch : Series of W, RW, AW and BW ; Series of SW and LW ; Series of 06 and FW
Release hook : Series of RH-

- MIURA MACHINE CO., LTD.(EX. MIURA VIDER CO.,LTD.) /
Davit : Series of SP, MVD, GRA, SAR
Winch : Series of BH, BE, BA

Endorse

APPENDIX I

No. : HDOLS-0061-25

- TSUNEISHI FACILITIES and CRAFT CO., LTD / * *
"Sanyo Works Co., Ltd. Kambara Ringyo Co., Ltd. Tsuneishi Forestry Construction Co., Ltd. Tsuneishi Holdings Corporation Tsuneishi Forestry Construction Company"
Lifeboat type / Release gear type
7.32M open type / Fixed type hook
KL-6.5TE, KL-6.5EP / 43GS-1(A), 43GS-1(B), 43GS-1(A)
TL-6.5TE, TL-6.5FP / 43GS-1(C), TL-5.7TE / 43GS-1(D)

- NISHI-F CO., LTD. /
G-series, ML-series, F-series

Reference

Endorse

APPENDIX I

No. : HDOLS-0061-25

Company :

Address :

Tel :

Fax :

E-mail :

Country :

City :

KR-Branch :

Reference